



Performance, Quality, Design

Computer Accessories 2011

Technology for Lifestyle

Vivanco offers its retail partners the ideal combination of high-quality products, efficient service, reliable partnership and attractive conditions. Vivanco is one of the leading providers for equipment and connecting accessories – in terms of both the width and the depth of its product lines.

Vivanco has been expanding its service offering for specialist retailers successfully, covering almost the entire value chain along the retail process. From development and manufacturing of new products over logistics, marketing and sales, all the way to product line support at the P.O.S. (Point of Sale). With the company's sense for trends, its well-founded knowledge of production markets, extensive marketing know-how and targeted retailer support, Vivanco is the ideal system service provider and partner for specialist retailers for innovative, market-driven products, P.O.S. service and ideas.

This combination allows retailers to tap their full sales potential.

Vivanco, for maximum effectiveness and competitiveness



Content

INPUT

Wireless Keyboards / sets	8
Wired Keyboards / sets	9 – 12
Mice	13
Multitouch Mice	14
Wireless Mice	15 – 16
Wired Mice	16 – 20

SOUND

Subwoofer Systems	22 – 23
Stereo Speakers	24 – 25
Wireless Headsets	26 – 27
Headsets and Microphones	28 – 32
Interfaces	33

MULTIMEDIA

Webcams	35 – 36
AC/DC Power Supplies	37 – 38
DC/DC Power Supplies	39
Accessories	40 – 41
Network, wireless	43 – 45
Network, wired	45 – 46
USB 3.0	48 – 49
USB adapter	50
USB 2.0, adapter	51 – 52
USB 2.0, Green-hubs	53 – 54
USB 2.0 hubs	55 – 58
USB 2.0 Card reader	58 – 61
USB 2.0 Interface	61
Bluetooth®	63 – 64
Security	65
Peripherals	65
Others	65

LIFESTYLE

Mousepads	67 – 74
Skins	74 – 75

CLEANING SYSTEMS

PC Cleaning Systems	77 – 78
---------------------	---------

OTHERS

Product Matrix	79 – 82
Quickfinder	83 – 85
Contact	87

INPUT

SOUND

MULTIMEDIA

LIFESTYLE

CLEANING
SYSTEMS

OTHERS

What is bazoo?



All-in-One



Tablet



Notebook



Netbook



Desktop

THE BRAND / THE PRODUCT AREAS

The IT market is in a state of permanent flux. The convergence between the areas of consumer electronics, telecommunications and information technology can no longer be overlooked. As the driving force of this development, IT is bringing out new primary device classes (e.g. Tablet PC, All-in-One PC) which call for flexible solutions in terms of accessories.

The IT accessories brand bazoo has set itself the goal of addressing the modern and lifestyle-oriented target group with product ideas which supplement the new device classes in the best possible way, and which are moreover clearly differentiated from the competition.

bazoo products are:

- High-margin – attractive profit margins with pricing that is still in attuned to the market.
- Exclusive – innovative technology, own designs, special materials
- Up-to-date – own trend scouting and European customer feedback
- Certified – by strong partners (e.g. USB 3.0, Microsoft TiltWheel)
- Prizewinning – prestigious awards generate additional demand



In this bazoo product area up-to-date technology (USB 3.0, Bluetooth® 3.0 etc.) and clever solutions (e.g. GREEN USB-HUB that can be switched off) come together with fresh designs and selected tuning products.

The focus is on improved performance and convenience in using current primary devices.



Modern Smartphone pouches, innovative mousepads and Notebook skins with fresh motifs support the consumer's wish for individuality.

As well as exclusive designs, specially selected materials (e.g. textiles, surfaces etc.) not only lend the products a high degree of attractiveness but give rise to real USPs (e.g. with mousepads – extremely non-slip but nonetheless completely detachable).



bazoo keyboards and mice not only offer exceptional materials and outstanding design.

Together with the incorporation of innovative technologies, like Multi-touch and BlueSense, they achieve a high degree of attractiveness.



bazoo sound products make use of new technologies (2.2 Subwoofer), make a convincing impression with their exceptional sound quality (Bluetooth Stereo Headset) and can be used in versatile ways (e.g. with a Mac, iPad, PC or Playstation3).



POS – Display & Shop wall

A clear visual segmentation of the assortment makes for high attractiveness in the wall presentation, and moreover has an outstanding effect at a distance. Sales will be supported by integrated displays for core products of the various assortment areas.



- 1 – 3D-Poster
- 2 – Demo-display
- 3 – Top display
- 4 – Magnetic side banners
- 5 – Scanner bar
- 6 – Sales display

PACKAGING – Full packaging to blister box

Thanks to the well thought out grid system, the target-group-oriented packaging lends itself to spatially optimised presentation on the shop wall. In addition, the conspicuous design supports successful placement in the direct competitive environment.

The sales displays effortlessly facilitate multiple placements. The four bazoo product ranges are represented by four main colours. This colour coding system helps with orientation from a distance and provides good opportunities for positioning in the market.



- 1 – Highlighted presentation of the product
- 2 – Unambiguous visualisation of the brand
- 3 – Clear colour labelling for assortment areas
- 4 – Self-explanatory pictograms for product description
- 5 – Description in up to 18 languages
- 6 – Conspicuous product highlights

Internet: Under www.bazoo.eu

... there is complete information about all current products. The precisely detailed 3D illustrations should be specially highlighted. Operating instructions and driver software for the relevant products can be downloaded in the Support section. The internet presentation is supplemented by information about new products, test reports and a small fun area. There are also news items, prize games and bazoo product promotions on Facebook. As well as this, we also present the latest product videos on our YouTube channel bazoo EU.



3D-Animation



bazoo at Facebook

PR

Each new product is supported by an intensive press and public relations effort.

Each new product receives a bilingual press release and an informative press photo. Often, these result in print and online publication which generates additional demand.

Selected new products are tested and made ready for series production in cooperation with young potential users. This ensures optimum orientation to the requirements of the target groups and therefore the success of these products.

Awards

bazoo products are innovative and design-orientated. This is proved by many prestigious awards and top ratings by independent editors.

Of course, in order to promote sales, these results are prominently displayed on the packaging and communicated in separate press releases.



Mice and Keyboards

INPUT



B-KB FM
EDP-No. 27143
ctn qty. 10



Extra slim



USB receiver



Adjustable height



USB Receiver



Wireless Technology



Real Scissor Keys



5 Hotkeys



Batteries included

bazoo WIRELESS BOARD Compact Wireless Keyboard

The Bazoo WIRELESS BOARD is equipped with a very compact design and high quality keyboard module. This ensures whisper-quiet and relaxed typing. It is excellently suited for use with an all-in-one PC or as a netbook/notebook keyboard. The transmission frequency of 2.4 GHz enables rapid and stable wireless connection and a greater range than with conventional 27 MHz technology. The integrated auto-pairing function ensures easy battery changes: no new pairing procedure is necessary, as the keyboard and the receiver are automatically detected after battery replacement or switching off.

- Auto-pairing function for easy Connection establishment
- Numerical keypad can be achieved by double assignment of the keyboard
- On/Off switch to save power when not in use
- Range up to approx. 8 m
- For Windows® XP, 2000, Vista® and Windows® 7
- Basic functions also available under Mac OS 10.x.
- Package: cardboard box

B-WB MM 2.4
EDP-No. 27146
ctn qty. 10



USB receiver



USB Receiver



Wireless Technology



18 Hotkeys



Sensitivity



Buttons



Batteries included

bazoo WIRELESS SET 2.4 GHz Keyboard & Optical Mouse

This wireless keyboard/mouse set ensures convenient working without tangled cables. The transmission frequency of 2.4 GHz enables a rapid and stable wireless connection

- Auto-pairing function for easy Connection establishment
- Mouse with 5 buttons and 800 dpi optical sensor
- Range up to approx. 5 m
- For Windows® 2000, XP, Vista® and Windows® 7
- Package: cardboard box

Wired Keyboards / Sets

bazoo iBOARD SET

USB Design Keyboard & Mouse

This keyboard/mouse set supplements the well-known bazoo iBOARD (IT 27149) with an optical mouse with roll-up connection cable. This makes the mouse universal and ideally suited for use with notebooks/netbooks while travelling.

- Built-in USB 2.0 Port, e.g. for mouse connection
- Extra-flat design, only 18 mm high
- Optical Mouse with 3 buttons and 800 dpi resolution
- Integrated cable spool with magnetic holder for simple access
- For Windows® 2000, XP, Vista® and Windows® 7
- Package: cardboard box


B-KB USB IBO SET

EDP-No. 27151

ctn qty. 10



INPUT



Super-flat design



Built-in USB port



Retractable cable



USB Connection



Built-in USB Port



16 Hotkeys



Sensitivity



Buttons

bazoo USB DESKTOP SET

USB Keyboard & Optical Mouse

Attractive entry-level set for all PC users: USB keyboard and optischer USB mouse.

- Standard keyboard with 3 power keys
- Optical Mouse with 3 buttons and 800 dpi resolution
- For Windows® 2000, XP, Vista® and Windows® 7
- Package: cardboard box

B-KB USB SET BK

EDP-No. 28759

ctn qty. 10



USB Connection



Sensitivity



Buttons

B-KB USB SLIM

EDP-No. 27150

ctn qty. 10



bazoo button



Super-flat design



USB Connection



Real Scissor Keys



13 Hotkeys

bazoo SLIMBOARD

USB Design Keyboard

The bazoo SLIMBOARD provides unique writing comfort thanks to its special key mechanism. This ensures whisper-quiet and relaxed typing.


The extra keys, which are available via the "bazoo key", enable direct access to the most important internet and multimedia functions. The super-flat design is not only an eyecatcher on any desk, but also reduces strain on the hand/wrists for long texts.

- Individual, high quality scissor keys for comfortable and quiet writing
- Super-flat design
- Important direct access keys can be reached via the bazoo key
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Package: cardboard box

B-KB USB IBOARD

EDP-No. 27149

ctn qty. 10



Super-flat design



Built-in USB port



USB Connection



Built-in USB Port



16 Hotkeys



Operating Systems

bazoo iBOARD

USB Design Keyboard

Thanks to its USB 2.0 port the bazoo iBOARD ensures quick and reliable connection of USB devices (MP3 players, cameras, etc.). Efficient work is enabled by the 16 quick-access keys for Office and multimedia applications.

Of course, with its individually applied keys and slim design, the iBOARD also looks great on a desk – and is also ideal as a convenient, visually matching keyboard for use with Nintendo® Wii® games consoles.

- Individually suspended keys for greater writing comfort
- Built-in USB 2.0 port
- Extra slim structure, only 18mm high
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- For Nintendo Wii
- Package: cardboard box

Wired Keyboards / Sets

bazoo LUMIBOARD Multimedia Keyboard

The bazoo LUMIBOARD provides switchable blue background lighting which makes it possible to type in the dark.

- Direct access keys for multimedia and internet applications
- Design elements in acrylic and chrome look
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Packaging: cardboard box

B-KB MM USB LIGHT EDP-No. 28760

ctn qty. 10



INPUT



Switchable lighting



Transparent buttons



USB Connection



Blue Illumination



9 Hotkeys

bazoo iBOARD MINI USB Mini Keyboard

On your desk, the bazoo iBOARD MINI ideally harmonises with modern working environments. It combines compact size with a wide range of functions: additional multimedia and internet functions as well as an integrated number pad are available. The individually mounted keys provide great writing comfort, as they have a normal size.

- Full-size keys for comfortable typing
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y or higher
- Packaging: cardboard box

B-KB USB MINI EDP-No. 28773

ctn qty. 20



USB Connection



Mini Size



13 Hotkeys

B-KB USB ST
EDP-No. 27145
ctn qty. 20



B-KB ST
EDP-No. 28758
ctn qty. 20



B-KB 10-KEY
EDP-No. 28761
ctn qty. 5



bazoo COMPACT BOARD **USB Keyboard**

Attractive standard keyboard with USB connection

- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Packaging: cardboard box

bazoo COMPACT KEYBOARD **PS/2 Keyboard**

Standard keyboard with PS/2 connection for older PCs

- With 3 power keys for Powermanagement
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Package: cardboard box

bazoo KEYPAD **external USB Keypad**

The elegant and slim numerical keypad makes it easy to enter numbers on the laptop

- Cable can be fastened to the device to prevent cable entanglement during transportation
- Extra flat keys for a quick number entry
- With NumLock LED
- No driver installation required
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10 or higher
- For Linux 2.6.x.y
- Packaging: blister

Mice

INPUT

Optical sensor



General information

Optical sensors were developed and used as early as the 1990s. They superseded the previously widespread "ball mouse" technology, which was controlled by a moving ball on the underside of the mouse. The clear advantage of optical mice was their durability (no mechanical parts in the control system) and precision.

Technology

Red LED

Sensitivity

800 – 1.200 dpi

Surfaces

Slightly textured
Light coloured to dark grey
Wood

Suitability

Normal office applications


Advantages

No mechanical control elements
Cheap

Disadvantages

Cannot be used, or can only be used to a limited extent on light coloured or black surfaces or highly textured surfaces

Example of sensor precision



BlueSense technology



General information

BlueSense technology is the latest widespread development in the field of mouse sensors. In principle, the BlueSense mouse is an optical mouse. The use of a blue LED and optimisation of the signal processing chip results in performance which is almost equal to that of a laser.

Technology

Blue LED

Sensitivity

800 – 2.400 dpi

Surfaces

Textiles, wood, plastic
White to black
Almost any structure

Suitability

Office and drawing applications, gaming


Advantages

No mechanical control elements
Works on almost all surfaces

Disadvantages

Cannot be used on glass or reflecting surfaces

Example of sensor precision



Laser sensor



General information

The first mouse with a laser sensor was launched in 2004. Shortly afterwards, Vivanco was the first supplier to offer both wireless and cable mice for notebooks and desktop applications with laser sensors, and therefore overtook even the market leader Logitech.

Technology

Laser diode

Sensitivity

1.000 – 2.000 dpi

Surfaces

Textiles, wood, plastic, carpet, glass
White to black
Almost any structure

Suitability

Graphics application, photo processing


Advantages

No mechanical control elements
Can also be used on glass

Disadvantages

--

Example of sensor precision



B-MSFOU 2.4 MER
EDP-No. 27142
ctn qty. 5



Nano USB receiver



Transport compartment



Slim design



USB Receiver



Sensitivity



Wireless Technology



Max. Distance



Batteries included

bazoo MERLIN TC Wireless Multitouch Mouse

The bazoo MERLIN TC Wireless Multitouch Mouse has an elegant design and a completely novel control concept. The familiar mechanical elements of conventional mice (buttons, scroll wheel) have been replaced by a sensor surface, which detects the movement of one or two fingers and can transform them into control commands. This enables simple and precise scrolling, zooming or turning pages, without having to operate additional mouse buttons.

- Novel sensor control concept
- Optical sensor with 1200 dpi resolution
- 2.4 GHz radio frequency with up to 5 m range
- No driver installation necessary
- For Windows® Vista® and Windows® 7
- For Mac OS 10.x
- Packaging: blister

Multitouch technology

The previous mechanical scroll wheel can be eliminated thanks to a highly sensitive capacitive sensor field under the top surface of the mouse – and mouse keys are also not needed. Movements with one or two fingers are detected and converted into control commands.

This reduces wear and increases the service life of the mouse. Small horizontal or vertical finger movements are sufficient to scroll through menus or enlarge a section of the screen – and further functions are possible:



Use of the left or right mouse button



Enlargement or reduction of images, scrolling



Left or right scrolling



Scrolling forwards or backwards in documents or websites

Wireless Mice

bazoo MERLIN BS

Wireless BlueSense Desktop Mouse

The bazoo MERLIN BS Mouse uses the latest BlueSense sensor technology and can therefore be used on a wide range of surfaces. The nano-receiver, which can be stored in the mouse, can optionally remain plugged in to the notebook, as its extra-small size hardly protrudes from the housing. The high quality chrome plating on the sides gives the mouse an elegant and modern design.

- BlueSense sensor with sensor sensitivity: 1000 dpi
- Desktop size (approx. 115 mm long) is also suitable for large hands
- The USB receiver can remain in the computer/notebook or in the housing of the mouse during transport
- High quality scroll wheel
- 5 buttons
- Long battery life
- For Windows® 2000, XP, Vista® and Windows® 7
- Standard functions also with MacOS 10 and Linux 2.6.x.y.
- Packaging: blister

B-MSFBU MER PI

EDP-No. 27133

ctn qty. 5 / pink

new B-MSFBU MER GR

EDP-No. 27134

ctn qty. 5 / gray



INPUT



Ergonomic form



Transport compartment



Nano USB receiver



USB Receiver



Sensitivity



Wireless Technology



Max. Distance



Batteries included

bazoo LUGUS BS

Wireless BlueSense Notebook Mouse

The bazoo LUGUS BS Wireless Notebook Mouse uses the latest BlueSense sensor technology. Thanks to the receiver, which can be concealed in the mouse, it is ideal when travelling. The compact size makes it comfortable to use for long periods.

- BlueSense sensor with Adjustable sensitivity of the sensor (800 / 1600 dpi)
- USB receiver take place in the notebook or during transportation it can take place under the mouse
- High quality scroll wheel
- 6 buttons
- Long battery life
- For Windows® 2000, XP, Vista® and Windows® 7
- Standard functions also with MacOS 10 und Linux 2.6.x.y.
- Packaging: cardboard box

B-MSFBU LUG BL

EDP-No. 27140

ctn qty. 5



Compact design



Transport compartment



USB Receiver



Adjustable Sensitivity



Wireless Technology



Max. Distance



Batteries included

Wireless Mice

new B-MSFOU MAR
EDP-No. 28781
ctn qty. 50



Nano USB receiver



Transport compartment



USB Receiver



Sensitivity



Wireless Technology



Max. Distance



Batteries included

bazoo MARA FM Notebook Mouse

With its stable wireless transmission, the bazoo MARA enables comfortable working without tangled cables.

- Optical Sensor with 1600 dpi sensitivity
- USB receiver take place in the notebook or place under the mouse
- 3 buttons
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y.
- Packaging: cardboard box

Wired Mice

B-MSBU SHI
EDP-No. 27141
ctn qty. 5



Show the sensitivity



Ergonomic design



USB Connection



Adjustable Sensitivity



Cable Length

bazoo SHIVA BS USB Gaming Mouse

The bazoo SHIVA Gaming Mouse is the ideal input device for occasional players. Thanks to the adjustable sensitivity, the mouse can be quickly adapted to any gaming situation. The BlueSense sensor enables the mouse to be used even on difficult surfaces.

- Optical BlueSense sensor
- Adjustable sensitivity (400, 800, 1600 and 2400 dpi)
- Desktop size (approx. 115 mm long) is also suitable for large hands
- 6 buttons
- High quality scroll wheel
- LEDs to indicate the sensitivity
- Incl. driver CD
- For Windows® XP, 2000, Vista® and Windows® 7
- Packaging: blister

Wired Mice

bazoo MARA USB/PS2 Desktop Mouse

The special coating of the bazoo MARA USB/PS2 Desktop Mouse makes it pleasant to use for long periods of work or gaming – and the USB-PS/2 combination plug ensures universal connection.

- Optical Sensor with 800 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y.
- Packaging: cardboard box

bazoo MARA USB Mouse

Attractive optical entry-level mouse

- Optical Sensor with 800 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x or higher
- For Linux 2.6.x.y.
- Packaging: blister (28762) / cardboard box (28800)

bazoo NANO Laser Netbook Mouse

The bazoo Nano laser mouse is the world's smallest laser mouse! With its "size" of only 68 x 29 x 20 mm and retracting USB cable, it fits into the very smallest corner of your notebook bag and is therefore the ideal companion when you are on the move.

- Laser Sensor with switchable resolution (1000 / 2000 dpi)
- 3 buttons (incl. scroll wheel)
- Automatic cable reeler for space saving mouse transport
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x or higher
- For Linux 2.6.x.y.
- Packaging: blister

new B-MSOC MAR EDP-No. 28763 ctn qty. 50



PS/2 adapter



USB Connection



Sensitivity



Cable Length



INPUT

B-MSOU 10 EDP-No. 28762 ctn qty. 6

new B-MSOU 10GX EDP-No. 28800 ctn qty. 50



USB Connection



Sensitivity



Cable Length



B-MSLU NANO EDP-No. 27131 ctn qty. 6



Cable reeler



USB Connection



Laser Sensor



Adjustable Sensitivity



Reeler



new B-MSLU MAR GX
EDP-No. 28782
ctn qty. 50



bazoo MARA USB Laser Mouse

The bazoo MARLA USB Mouse is equally suitable for right-handed and left-handed people. The laser sensor enables the mouse to be used even on difficult surfaces.

- Laser sensor with 1600 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- Medium sized therefore useable as desktop or notebook mouse
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x or higher
- For Linux 2.6.x.y.
- Packaging: blister

B-MSBU LUG OR
EDP-No. 27136
ctn qty. 5 – orange

B-MSBU LUG GR
EDP-No. 27137
ctn qty. 5 – green

B-MSBU LUG CH
EDP-No. 27138
ctn qty. 5 – champagne

B-MSBU LUG PI
EDP-No. 27139
ctn qty. 5 – pink



bazoo LUGUS BS BlueSense Notebook Mouse

The LUGUS BS Notebook mice use the new BlueSense sensor technology. Four different colours provide the right choice for every taste. The compact size makes it comfortable to use for long periods.

- BlueSense sensor with adjustable sensitivity (800 / 1600dpi)
- High quality scroll wheel
- 6 buttons
- For Windows® 2000, XP, Vista® and Windows® 7
- Standard functions also with MacOS 10.x and Linux 2.6.x.y.
- Packaging: blister



Wired Mice

bazoo NETO BS USB Design Mouse, black

The bazoo NETO BS impresses with its unusual open design and the latest BlueSense sensor technology. As an addition design element, the blue illumination rounds off the appearance of the bazoo NETO BS and makes it a real attraction on your desk or on the move.

- BlueSense sensor with 1000 dpi resolution
- High quality scroll wheel
- 3 buttons
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x and Linux 2.6.x.y.
- Packaging: blister

B-MSBU NET BK EDP-No. 27126 ctn qty. 5



INPUT



Open design



Blue effect-LED



USB Connection



Sensitivity



Cable Length



Blue illumination

bazoo LUGUS Optical Notebook Mouse

Small laptop mouse with retractable USB cable and special surface coating for comfortable working on the move.

- Optical Sensor with 1000 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x and Linux 2.6.x.y.
- Packaging: Blister

LUGUS MOUSE EDP-No. 27128 ctn qty. 6



Cable reeler



USB Connection



Sensitivity



Reeler

new B-MSOC LUG
EDP-No. 28764
ctn qty. 5



bazoo LUGUS USB/PS2 Notebook Mouse

The attractive metallic-red LUGUS with its chrome design elements can be used universally thanks to its USB connection and PS2 adapter.

- Optical Sensor with 1000 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x and Linux 2.6.x.y.
- Packaging: blister

B-MSOU MAR BK
EDP-No. 27120
ctn qty. 6 / black

B-MSOU MAR WH
EDP-No. 27121
ctn qty. 6 / white

B-MSOU MAR RD
EDP-No. 27122
ctn qty. 6 / red

B-MSOU MAR BL
EDP-No. 27123
ctn qty. 6 / blue



Optical Notebook Mouse

The bazoo MARA USB mouse is equally suited for right-handed and left-handed persons. With the USB connection, you can plug it to almost any computer and (mini) notebook – a mouse for all occasions! The four available colours offer each user a model of his own liking.

- Optical Sensor with 1000 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- Four attractive colours (black, white, red, blue) with silver highlights
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x und Linux 2.6.x.y.
- Packaging: blister

Sound



SOUND

Subwoofer Systems

new B-SP 2.2 MER II

EDP-No. 27197

ctn qty. 2



Blue illuminated control



On/Off switch, RCA connection



DoubleBass Technology



Double Bass Technology



Wooden Housing for Best Sound Quality



Volume Adjustment



Bass Adjustment



Treble Adjustment



Frequency Range



3.5 mm Audio Plug

B-SP 2.1 NET W

EDP-No. 27166

ctn qty. 4



Remote control



Blue illumination effects



Wooden Housing for Best Sound Quality



Volume Adjustment



Bass Adjustment



Frequency Range



3.5 mm Audio Plug

bazoo MERLIN 2.2 II

Double Bass Speaker System

The MERLIN 2.2 II Speaker System impresses with optimised sound and even better quality. It is the ideal loudspeaker for anyone looking for a heavy bass and a powerful sound!

The 2.2 bass technology ensures perfect bass response. Separate controllers for low and high frequencies allow optimum customization for every preference. All stereo sources with a 3.5 mm jack output, such as sound cards, MP3 players, HD players etc. can be connected and played with excellent quality.

- New 2.2 technology for extra bass power
- 44 W RMS / 830 W p.m.p.o. music power
- Separate control of bass and treble
- Front panel with high-gloss details
- Satellites with RCA connection
- Dimensions Subwoofer: 280 x 180 x 250 mm
- Magnetically shielded
- Dimensions Satellites: 99 x 182 x 140 mm
- Internal power supply with 2-pin euro plug
- Incl. connection cable
- Packaging: cardboard box

bazoo NETO W 2.1

Stereo Subwoofer System

The bazoo NETO W 2.1 sound system optically and harmonically blends in the writing desk area thanks to its modern design and the blue satellite illumination. The apple-white color of the housings gives an even more sleek look to the whole system. The cable remote control permits a comfortable volume regulation. The main volume can be adjusted at the subwoofer's backside, same as the bass level.

- 2.1 Stereo subwoofer system
- 12 W RMS / 400 W p.m.p.o. music power
- Adjustable bass levels
- Cable remote control for volume adjustment
- Magnetically shielded
- Dimensions subwoofer: 176 x 194 x 257 mm
- Dimensions satellites: 95 x 197 x 60 mm
- Internal power supply with 2-pin euro plug
- Incl. connection cable
- Packaging: cardboard box

Subwoofer Systems

bazoo MARA 250 2.1 Speaker System

Powerful 2.1 subwoofer sound system with a real music output of 25 W RMS. With its 2-way satellites and the huge 5.25" subwoofer, the MARA 250 system ensures rich sound playback for games, videos, MP3 and more!

- 2.1 stereo subwoofer system
- 5.25" loudspeaker (subwoofer)
- 1" + 3" loudspeakers (satellites)
- 25 W RMS / 750 W p.m.p.o. music power
- Adjustable bass and treble levels
- Incl. Cable remote control for volume adjustment
- Magnetically shielded
- Dimensions Subwoofer 212 x 221 x 239 mm
- Dimensions Satellites 119 x 154 x 122 mm
- Internal power supply with 2-pin euro plug
- Incl. connection cable
- Packaging: cardboard box

B-SP 2.1 MAR EDP-No. 27162 ctn qty. 2



Remote control



Wooden Housing
for Best Sound Quality



Volume
Adjustment



Bass
Adjustment



Treble
Adjustment



30
Hz
20.000
Frequency
Range



3.5 mm
Audio Plug

bazoo MARA 2.1P 2.1 Speaker System

The MARA 2.1P sound system offers a nice and warm sound thanks to its wooden subwoofer. Users can adjust the bass level with the controller on the back of the subwoofer.

- 2.1 stereo subwoofer system
- 10 W RMS / 300 W p.m.p.o. music power
- Adjustable bass and treble levels
- Plastic satellites
- Magnetically shielded
- Subwoofer dimensions: 190 x 153 x 220 mm
- Satellite dimensions: 125 x 80 x 93 mm
- Internal power supply with 2-pin europlug
- Incl. connection cable
- Packaging: cardboard box

PRO B-SP 2.1 EDP-No. 27159 ctn qty. 6



Wooden Housing
for Best Sound Quality



Volume
Adjustment



Bass
Adjustment



40
Hz
20.000
Frequency
Range



3.5 mm
Audio Plug

SOUND

B-SP MOB LUG

EDP-No. 27164

ctn qty. 20



Integrated volume control



bazoo LUGUS MOBILE

Notebook Speakers

The bazoo LUGUS MOBILE notebook speaker gets its power from the USB connection and can be plugged in to all sources with 3.5 mm stereo socket. You easily set the volume with the integrated, blue illuminated controller. Perfect sound is ensured by the direct orientation of the speaker to the listener, and the special surface coating gives the speaker system an agreeable look.

- 2.0 stereo system
- Special surface coating
- Power supply by USB
- 3 W RMS
- Magnetically shielded
- Dimensions satellites 70 x 88 x 120 mm
- Internal power supply
- Packaging: cardboard box

B-SP MOB LUG II

EDP-No. 27163


ctn qty. 20



ON/OFF switch



Integrated volume control



bazoo LUGUS MOBILE II

Notebook Speakers

The bazoo LUGUS MOBILE II can be easily connected and powered via USB. Transfer from the audio source is via a 3.5 mm jack plug, so that almost any stereo source can be used (MP3 player, iPod, iPhone etc.). The striking design makes it an eyecatcher on any desk, while ensuring precise direction of sound to the listener.

- 2.0 stereo system
- Power supply by USB with ON/ OFF switch.
- 2 W RMS
- Magnetically shielded
- Dimensions satellites: 73 x 73 x 83 mm
- Internal power supply
- Packaging: cardboard box

Stereo Speakers

bazoo MARA 100 Stereo Speaker

The bazoo MARA 100 speaker system is best for using it with desktop or notebook computers. It upgrades the sound output significantly and makes it enjoyable to listen to music. The system has got a volume control and a built-in headphone socket so that the user can listen to the music with a headphone if he wants to.

- 2.0 stereo design system
- 3 W RMS music power
- Headphone socket and on/off switch on satellite front side
- Blue power LED
- Magnetically shielded
- Dimensions: 85 x 175 x 75 mm
- Built-in power supply with 2-pin europlug
- Integrated connection cable
- Packaging: cardboard box


B-SP 100 MAR EDP-No. 27161 ctn qty. 12



Headphone socket



Volume Adjustment



Frequency Range



3.5 mm Audio Plug

SOUND

bazoo MARA 50 Stereo Speakers

The bazoo MARA 50 speaker system is best for using it with a desktop or notebook/netbook computer since the power is supplied by USB. No additional power socket is needed to drive this system.

- 2.0 stereo design system
- 2 W RMS music power
- Headphone socket and on/off switch on satellite front side
- Magnetically shielded
- Dimensions: 73 x 148 x 65 mm
- USB power supply
- Integrated connection cable
- Packaging: cardboard box


B-SP 50 MAR EDP-No. 27160 ctn qty. 12



Headphone socket



Volume Adjustment



Frequency Range



3.5 mm Audio Plug

new TT-AU BT HM TC
EDP-No. 30573
ctn qty. 5



Sensor surfaces



Hidden microphone



Space saving foldable



Incl. carrying bag



Best Sound Quality



Easy Pairing



Light Weight



Talk/Standby Time



Volume Control



Track Control



Headphone Frequency Range

TOUCH HEADSET

Bluetooth stereo Headphone/Microphone combination

The new Bluetooth headset with Touch function is ideal for connection to the latest tablet computers (e.g. Apple iPad 1 & 2, Samsung Galaxy), to mobile phones with Bluetooth function, or to gaming consoles (e.g. Sony Playstation 3). The excellent sound quality is supported by an innovative control system: instead of pressing buttons, the unit is controlled by simply touching the sensor surfaces – which makes it even easier to wear!

- Stereo bluetooth headset
- Bluetooth 2.1 technology with multipoint (simultaneously connection of 2 devices)
- Sensor surfaces to control volume, tracks and telephone functions
- Multi-function key to answer/end calls, for muting the microphone, etc.
- Adjustable headband
- Space saving foldable, inkl. carrying bag
- Integrated Li-Ion battery for a longer operation and standby (incl. USB charging cable)
- Range depends on transmitter unit
- Supports A2DP, AVRCP, HFP and HSP Profiles
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm (+/- 15 %)
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: Box with folding lid

Wireless Headsets

bazoo MERLIN BT Bluetooth Headset

Bluetooth 2.1 technology, multipoint functions, integrated Li-Ion battery and sumptuous, fully adjustable headband – only a few selected technical details of the bazoo BLUE-TOOTH HEADSET! In addition to technology, the headset impresses with elegant design and outstanding sound quality, whether from a notebook and PC or mobile phone. If a phone call interrupts music or chat, the BLUE-TOOTH HEADSET automatically switches to hands-free phone mode -- and then back (multipoint)!

In addition to simple connection to Apple iPhones, iPod Touch or iPad, the headset is also compatible with other Bluetooth products such as the Samsung Galaxy Tab or the Playstation 3 (for chatting).

- Stereo bluetooth headset
- Bluetooth 2.1 technology with multipoint (simultaneously connection of 2 devices)
- Remote control surfaces to control volume, tracks and telephone functions
- Multi-function key to answer/end calls, for muting the microphone, to reject a call and to play/pause music playback
- Adjustable headband
- Integrated Li-Ion battery for a longer operation and standby (incl. USB charging cable)
- Special surface coating
- Range depends on transmitter unit
- Supports A2DP, AVRCP, HFP and HSP Profiles
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm (+/- 15 %)
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

B-HM BT EDP-No. 27177 ctn qty. 5



red dot design award
winner 2009



SOUND



Remote control surfaces



Adjustable headband



Hidden microphone



Best Sound Quality



Easy Pairing



Light Weight



Talk/Standby Time



Volume Control



Track Control



Headphone Frequency Range

B-HM NET VIBE
EDP-No. 27181
ctn qty. 5



Blue Effect-LED



Adjustable microphone



Remote control



USB Connection



Volume Control



eSports Compatible



Headphone Frequency Range



Cable Length

bazoo NETO VIBE
USB Stereo Vibration Headset

Thanks to its USB plug, the bazoo NETO Vibe Stereo Headset can be connected to any modern computer. Switchable vibration effects increase the experience of the sound when playing games or listening to music, and support the balanced sound of the headset.

- Switchable vibration effects
- Adjustable headband
- 40 mm loudspeaker
- Volume control with microphone muting switch
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 Ohm
- Microphone sensitivity -46 dB (+/- 3 dB)
- Packaging: blister

B-HM NET USB
EDP-No. 27182
ctn qty. 5



White Effect-LED



Detachable microphone



Remote control



USB Connection



Volume Control



eSports Compatible



Headphone Frequency Range



Cable Length

bazoo NETO USB
USB Stereo Headset

Thanks to its USB plug, the bazoo NETO USB can be connected to any modern computer. The detachable microphone and balanced sound make this headset an ideal headphone for listening to music.

- Detachable microphone
- Adjustable headband
- 40 mm loudspeaker
- Volume control with microphone muting switch
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -54 dB (+/- 3 dB)
- Packaging: blister

Headsets and Microphones

bazoo NETO USB Stereo Headset

The bazoo NETO USB headset is impressive because of its outstanding sound and its wearing comfort. Extra-soft fabric pads ensure that there is no discomfort even when used for an extended time. The integrated remote control allows fast control of the volume and muting of headphone/microphone. Thanks to the USB connector, the headset can be easily connected to PCs or notebooks.

- bazoo family design
- Adjustable microphone arm
- Connection cable with fabric coating
- Auto-adjust headband
- Volume control with microphone muting switch
- Headphone impedance 32 Ohm (+/- 15 %)
- 2.2 k Ohm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

B-HM USB EDP-No. 23693 ctn qty. 5



Remote control



USB Connection



Volume Control



eSports Compatible



Headphone Frequency Range



Cable Length



SOUND

bazoo NETO R Stereo Headset

The bazoo NETO R combines an attractive retro design and modern technology to provide an universal headset for chatting (VoIP), playing games and listening to music. The volume can be easily adjusted thanks to the integrated remote control.

- Highly fashionable retro design
- Adjustable headband
- Volume control with microphone muting switch
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -54dB (+/- 3 dB)
- Packaging: blister

B-HM NET WH EDP-No. 27178 ctn qty. 5 – white

B-HM NET RD EDP-No. 27179 ctn qty. 5 – red



Volume control



Flexible microphone



3.5 mm Audio Plug



Volume Control



Headphone Frequency Range



Light Weight



Cable Length



B-HM ST
EDP-No. 23692
ctn qty. 10



Remote control



3.5 mm
Audio Plug




Volume Control



Headphone
Frequency Range



Light Weight



Cable Length

bazoo NETO ST Headset

The bazoo NETO ST Headset offers outstanding sound quality for all occasions and is perfectly suited for listening to music and gaming or simply for VoIP applications.

- bazoo family design
- Adjustable headband
- Volume control with microphone mute functions
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

B - HM NB
EDP-No. 23691
ctn qty. 10



Remote control



3.5 mm
Audio Plug




Volume Control



Headphone
Frequency Range



Light Weight



Cable Length

bazoo NETO NB Headset

The bazoo NETO NB stereo headset is comfortable to wear; it is suitable for VoIP, listening to music or for gaming. The neckband design ensures perfect fit in all situations.

- bazoo family design
- Convenient behind-the-head neckband design
- Volume control with microphone mute functions
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

Headsets and Microphones

bazoo MARA COLOR Neckband Headsets

The bazoo neckband headsets come in six attractive colour combinations; their blister packaging allows them to be offered on the rear wall/gondola display or in dump bins. The practical neckband design represents the latest trend and convinces due to its modern design and low weight!

- Six colours each ctn qty.:
 - black/black
 - white / white
 - white / red
 - white / green
 - white / orange
 - white / violett
- Convenient behind-the-head neckband design
- Flexible microphone with matching colour highlights
- Built-in volume control
- Packaging: blister

B-HM NB COL EDP-No. 27175 ctn qty. 18



Remote control




3.5 mm
Audio Plug



Volume Control



Light Weight



Cable Length

SOUND

bazoo MARA BASIC Stereo Headset

The MARA BASIC stereo headset is a comfortable head-phone/microphone combination to be used for making phone calls via the Internet (VoIP) or for listening to music from the PC. It is connected to any standard soundcard by 3.5 mm plugs. Thanks to the integrated volume control the user can choose the volume level directly

- Adjustable headband
- Flexible microphone
- Built-in volume control
- Packaging: blister

B-HM BASIC EDP-No. 27176 ctn qty. 10



Volume control



3.5 mm
Audio Plug



Volume Control



Light Weight



Cable Length

B-HM MONO
EDP-No. 23690
ctn qty. 10



bazoo NETO M
Mono Headset

The bazoo NETO M mono headset is also part of the new family design of the bazoo headset series. The small and lightweight headset can be worn on the left or right ear. It is ideally suited for chatting and VoIP.

- bazoo family design
- Mono headset for left or right ear
- 15 mm loudspeaker
- Headphone impedance 32 Ohm (+/- 15 %)
- Mikrofon Impedanz: 2.2 kOhm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

new **B-MF MINI**
EDP-No. 27183
ctn qty. 5



bazoo MINI MIC
Notebook Microphone

The bazoo MINI MIC is excellent for voice applications with the notebook or netbook (e.g. internet telephony).

- Extremely small size
- No driver installation required
- Suitable for all operating systems
- Required a 3.5 mm microphone input

new **B-MF CLIP**
EDP-No. 27184
ctn qty. 5



bazoo CLIP MIC
Clip Microphone

The bazoo CLIP MIC can be connected to any PC with a 3.5 mm microphone input. Thanks to the simple clip, it can be easily attached to clothing and follows every move of the body.

- Clip function for simple attachment
- No driver installation required
- Suitable for all operating systems
- Required a 3.5 mm microphone input

Interfaces

6-channel PCI sound card for real surround sound


- First class 3D sound experience thanks to 6-channel 16-bit Digital Audio Converter (DAC)
- 16-bit full duplex CODEC with support for "Voice over IP" Internet telephony systems
- Supports Microsoft® DirectSound 3D™
- C3DX Positional Audio for 4-channel speaker mode plus centre/subwoofer in 6-channel speaker mode
- Compatible with SB and SB Pro
- Downloadable "Wavetable Synthesizer" supports Direct Music™
- Includes software

System requirements:

- 1 free PCI Slot
- Prozessor >= 500 MHz or faster
- 300 MB free disk space
- CD ROM drive
- DirectX 9.1 or higher / Windows® 2000, XP, Vista®, Windows® 7

B-SOUND 6C PCI EDP-No. 30426

ctn qty. 10



SOUND

4-channel PCI sound card for real surround sound

- First class 3D sound experience thanks to 4-channel, 16-bit Digital Audio Converter (DAC)
- 16-bit full duplex CODEC with support for "Voice over IP" Internet telephony systems
- Supports Microsoft® DirectSound 3D™
- C3DX Positional Audio for 4-channel loudspeaker mode
- Compatible with SB and SB Pro
- Downloadable "Wavetable Synthesizer" supports Direct Music™
- Includes software

System requirements:

- 1 free PCI slot
- Processor >= 500 MHz or better
- 300 MB free disk space
- CD-ROM drive
- DirectX 9.1 or higher / Windows® 2000, XP, Vista®, Windows® 7

B-SOUND 4C PCI EDP-No. 30425

ctn qty. 10





Webcams

VGA Webcam with Stereo Headset

Perfect combination for voice over IP, chatting or video conferencing via internet. The built in clip allows fixation at a monitor or placement on the table or other plain surfaces. The combination works with all standard VoIP applications such as e.g. Skype.

Webcam:

- Compact design - ideal for mobile use on laptop and PC
- Snapshot button: Save images on the hard drive with the touch of a button
- Function LED
- Adjustable focus - Sharp images at all times
- Best results even with narrow internet band widths thanks to selectable alternative resolutions: 320x240, 176x144, 160x120 pixel
- Maximum 30fps (frames pro second) at 640x480 pixels
- Automatic white balance
- USB 2.0 Controller for fast datatranfer
- Packaging: blister

Headset:

- Stable, light-weight
- Connection: 3.5 mm stereo plug
- Frequency range 100 – 18000 Hz
- Sensitivity 105 dB
- Impedance 32 Ohm

Microphone:

- Frequency range 100 – 16000 Hz
- Sensitivity (1 kHz) 58 +/- 2 dB
- Impedance ≤ 2.2 kOhm

System requirements:

- Computer with USB support (preferably USB 2.0)
- CD ROM driver
- Windows® 2000, XP, Vista® and Win7

VOIP SET VGA EDP-No. 30446

ctn qty. 4



USB 2.0



Resolution



Volume Control



Flexible Microphone



Cable Length Headphone

new B-CAM-VGA
EDP-No. 27186
ctn qty. 5



Build-in clip



Flexible stand



USB 2.0



True Resolution



Built in Microphone

Universal VGA-webcam with microphone

Thanks to UVC technology, this webcam can be used with most common operating systems without installing a driver. The built-in stand is designed so that the webcam can be used on the monitor screen or placed on any suitable level surface.

- Ready for operation immediately without driver installation thanks to USB 2.0 UVC interface technology
- 300.000 pixel CMOS sensor
- Vertically flexible adjustable
- Integrated microphone, perfectly suitable for chatting
- Blue function LED
- For stills, online chat and monitoring
- Compatible with all common messenger programmes
- Plug & Play: Install software, plug in camera – done!
- Resolution: 640x480 physical pixels
up to 1280x1024 pixel (interpolated)
- Max. 30 fps at a resolution of 640x480
- Distance to motif: 28 cm to infinite distance
- Fixed focus lens, no focusing necessary
- Automatic white, brightness and contrast alignment
- Packaging: cardboard box

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® XP, Vista®, Windows® 7
- MAC OS 10.6

AC/DC Power Supplies

Universal switching power supply for Notebooks and Netbooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Can be used for modern Mini-Notebooks (Netbooks)
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection
- Input voltage 100 – 240 V AC~ 50 – 60 Hz
- Max. output power 65 W
- Max. output current 3.5 A (9.5 – 18.5 V) or 3.25 A (19/20 V)
- Adjustable output voltages:
9.5 V / 12 V / 14 V / 16 V / 18.5 V / 19 V / 20 V
- Works with many Notebook/Netbook brands, e.g.: ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more

NBK POWER AC65 EDP-No. 28118*

ctn qty. 5



9 different tips incl.



For Use at Home



Max. Output



Input



Tips Included

Universal switching power supply for Notebooks and Netbooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Can be used for modern Mini-Notebooks (Netbooks)
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection
- Input voltage 100 – 240 V AC~ 50 – 60 Hz
- Max. output power 72 W
- Max. output current 3.5 A (9.5 – 20 V) or 3 A (24 V)
- Adjustable output voltages:
9.5 V / 12 V / 16 V / 18.5 V / 19 V / 20 V / 24 V
- Works with many Notebook/Netbook brands, e.g.: ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more

NBK POWER AC72 EDP-No. 28119*

ctn qty. 5



12 different tips incl.



For Use at Home



Max. Output



Input



Tips Included

MULTIMEDIA

NBK POWER AC90II EDP-No. 28120*

ctn qty. 5



vivenco



Universal switching power supply for Notebooks


- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Can be used for modern Mini-Notebooks (Netbooks)
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection
- Easy voltage adjustment
- 6 tips for different Notebook brands
- Also works with Netbooks
- Works with many Notebook/Netbook brands, e.g.: ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more
- Input voltage 100 – 240 V AC 50 – 60 Hz
- Max. output power 90 W
- Max. output current 4 A (15 – 22 V) bzw. 3.75 A (24 V)
- Adjustable output voltages:
15 V / 16 V / 18 V / 19 V / 20 V / 22 V / 24 V

NBK POWER AC90III EDP-No. 28121*

ctn qty. 5



vivenco



Universal Schaltnetzteil für Notebooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection
- Works with many higher power requirements Notebook brands with , e.g.: Acer, ASUS, BenQ, Compaq, Dell, Fujitsu, Hitachi, HP, IBM, Lenovo, LG, NEC, Samsung, Sharp, Sony, Toshiba and more
- Input voltage 100 – 240 V AC~ 50 – 60 Hz
- Max. output power 90 W
- Max. output current 4.74 A (16/19 V)
- Adjustable output voltages (by resistor): 16 V und 19 V

DC/DC Power Supplies

Car/air power supply for Notebooks and Netbooks

- Best for travelling
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-heating protection
- Easy voltage adjustment
- 6 tips for different popular notebook brands
HP, Compaq, Gateway, Sharp, Winbook etc., Dell, BenQ Joybook, Dell, Samsung, Fujitsu Amilo, Sony, NEC, Toshiba, Lenovo, LG X Series, ASUS
- Can be used for car or airplane
- Input voltage 12 V / 8 A max.
- Max. output power 72 W
- Max. output current 4 A (15 – 18 V) or 3 A (19 – 24 V)
- Adjustable output voltages:
15 V, 16 V, 18 V, 19 V, 20 V, 22 V, 24 V

NBK POWER DC72 EDP-No. 28122*

ctn qty. 5



For car or airplane



12 different tips incl.



For Use in Plane



For Use in Car



Max. Output



Input



Tips included

MULTIMEDIA

Car/air power supply for Notebooks

- Best for travelling
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-heating protection
- Easy voltage adjustment
- 12 tips for different notebook brands
- Can be used for car or airplane
- Works with many Notebook/Netbook brands, e.g.:
ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more
- Input voltage 12 V / 12 A max.
- Max. output power 120 W
- Max. output current 6 A (15 – 20 V) or 5 A (22 V/24 V)
- Adjustable output voltages:
15 V, 16 V, 18 V, 19 V, 20 V, 22 V, 24 V

NBK POWER DC120 EDP-No. 28123*

ctn qty. 5



For car or airplane



6 different tips incl.



For Use in Plane



For Use in Car



Max. Output



Input



Tips included

* With the change to the bazoo packaging, this has a new article number

NBK POWER INV
EDP-No. 26278
NF-EDP-No. 28757
ctn qty. 5



ON/Off switch



USB charging function



For Use in Car



For Use in Boat



Input



Schuko Output



USB Power Output



Peak / Max. Output


Car Power DC/AC Inverter with USB Charging Function

- Compact cylindrical voltage converter for connecting AC devices in cars
- Fits into bottle holder
- Charging function for charging of USB chargeable devices
- E Mark: CE, (E8) 10R-02 07191
- e.g.: for portable dvd players and TV decive, Notebooks und Netbooks, navigation equipment, mp3-player or mobile phones
- Input: 12 – 13.8 V=; max. 13 A
- Max. Output Power/Current: 300 W (briefly) / 150 W
- Output Voltage: 220 – 240 V 50 Hz, modified sine-wave
- Output Socket: Schuko
- USB: 5 V = (USB), max. 500 mA
- Output Socket: USB socket type A


NBK USB CHARGE
EDP-No. 26284*
ctn qty. 5



USB Power Output



Output Voltage



Max. Output



iPod/iPhone Compatible



Power LED

Mini vehicle adapter with USB connector

- Very small and compact charging adapter for the 12 V cigarette lighter socket in cars
- 5 V / 1 A output (suitable for iPod and iPhone)
- 12 – 13.8 V input voltage
- LED operating indicator

Accessories

TRAVEL

Multi Travel Adapter

Compact, universal travel adaptor for simple adaptation of mains plugs in various directions.

- For many European countries (Germany, UK, Spain etc.), USA, Asia
- Suitable for protection class II devices (without earthing)
- With replaceable 2.5 A fuse

The travel plug is not a voltage and frequency converter!

new B-NBK TRAVEL
EDP-No. 30465
ctn qty. 5



For many European countries



For USA, Canada, Mexico and other



For Australia, New Zealand and other



For Great Britain, Ireland, Hong Kong and other



MULTIMEDIA


Traveller's connection set

- Including 7 adapters for more than 150 countries throughout the world
- Children security
- Including transport bag
- Suitable for Schuko and European plugs

The travel plug is not a voltage and frequency converter!

new B-NBK TRAVEL
EDP-No. 28756
ctn qty. 50






System example I

Internet in the whole house:
Online shopping
Online banking
Media datenbank

The terms "WIFI" or "wireless LAN" refer to the technology and products needed to integrate computers, PDAs, smartphones, multimedia servers or games consoles into a local area network WITHOUT CABLES. Often it is not possible to install network cables in buildings, e.g. rented flats (see system example I).

WIFI is the solution to this problem: computers and WIFI compatible devices can be arranged throughout buildings fully flexibly. The devices are even connected to each other, with network printers, memory devices and the internet through walls. When using notebooks or PDA, freedom is unlimited and there are no longer any cables to limit mobility (see system example II).




System example II

- (A) : Domestic telephone line
- (B) : Splitter
- (C) : DSL modem
- (D) : WLAN router
- (E) : Desktop PC with WLAN capability
- (F) : Notebook
- (G) : Tablet PC/Smartphone
- (H) : Printer with Printserver
- (I) : NAS = Network attached storage

Speed of WIFI networks:

All WIFI technology is based on the IEEE 802.11 standard.
There are currently 3 subordinated standards which defined the basic speeds for this 2.4 GHz radio technology.



Wireless Network

N-STANDARD

up to 300 Mbit/s

Networks based on IEEE802.11n are necessary for the transfer of large volumes of data, e.g. for video transfers or backups.

Wireless Network

G-STANDARD

up to 54 Mbit/s

IEEE 802.11g based networks are sufficient for normal applications such as internet, e-mail or transmitting audio streams.

Wireless Network









B-STANDARD

up to 11 Mbit/s

IEEE 802.11b based networks are sufficient for occasional internet surfing with no major download requirement.

Network, wireless

WLAN Product Matrix

Product	WLAN-g Stick	WLAN-n Stick	WLAN-n Stick	WLAN-n Stick
EDP	28790	28791	26923	28359
Short-Description	<ul style="list-style-type: none"> Up to 54 MBit/s g-standard 	<ul style="list-style-type: none"> Up to 300 MBit/s n-standard 	<ul style="list-style-type: none"> Up to 150 MBit/s n-standard Nano Type 	<ul style="list-style-type: none"> Up to 300 MBit/s n-standard Nano Type 
Useable for				
Arguments for market	<ul style="list-style-type: none"> Cheap entry-level product Common mass article Shelf placement Also for Mac 	<ul style="list-style-type: none"> Latest standard for fast transfers Standard with the greatest demand Shelf placement Also for Mac 	<ul style="list-style-type: none"> Latest standard Standard with the greatest demand Compact blister, also suitable for second placements Also for Mac 	<ul style="list-style-type: none"> Latest standard for fast transfers Standard with the greatest demand Compact blister, also suitable for second placements Small size with ultimate data transfer rate Also for Mac
Arguments for customer	<ul style="list-style-type: none"> Established standard for all WLAN networks For Internet, backup, mail 	<ul style="list-style-type: none"> Fastest transfer rates Also for Internet video data backup 	<ul style="list-style-type: none"> Also for Internet video data backup Ideal as accessory for all portable computers thanks to its small size Does not obstruct neighbouring ports Upgrades netbooks to the latest WLAN standard 	<ul style="list-style-type: none"> Fastest transfer rates Also for Internet video data backup Does not obstruct neighbouring ports Upgrades netbooks to the latest WLAN standard
Packaging	Cardboard box	Cardboard box	Blister	Blister

MULTIMEDIA

Wireless LAN USB adapter, 300 MBit/s

This compact USB 2.0 to WIFI-n adapter for wireless communication. Easy to operate software for configuration, monitoring and diagnosis purposes are enclosed.

- WIFI-n standard (IEEE 802.11n) for 300 Mbit/s data transfer
- Compatible with former WIFI networks according to 802.11b, 802.11g and 802.11n standard
- Encryption: 64/128-bit WEP and WPA (TKIP with IEEE802.1x), WPA2, AES for data security
- Multiple antenna with MIMO 1T2R technology for higher performance
- Easy configuration with WPS via mouse click
- LED indicator for link status
- Including cap for USB plug
- Dimensions: 77 x 26 x 12 mm
- Packaging: cardboard box

System requirements:

- Computer with USB support (USB 2.0 required for maximum data rate)
- Windows® 2000, XP, Windows® Vista®, Windows® 7
- MAC OS 10.4
- Linux minimum Kernel 2.6.x.y
- Compatible with Iomega® „Screenplay“

B-WLAN USB-300

EDP-No. 28791

ctn qty. 5



new B-WLAN 300-S
EDP-No. 28359

ctn qty. 5



B-WLAN USB-150
EDP-No. 26923

ctn qty. 5



This miniaturised USB2.0 to WIFI-n adapter allows wireless communication between a desktop or notebook PC and other Wireless LAN devices. This adapter not only allows a network to be set up, but also provides access to the Internet via hotspots in public locations. Easy to operate software for configuration, monitoring and diagnosis purposes are enclosed.

Wireless LAN USB adapter, 54 Mbps

- WIFI-n standard (IEEE 802.11n) for 300 Mbit/s data transfer
- Compatible with former WIFI networks according to 802.11b, 802.11g and 802.11n standard
- Encryption: 64/128-bit WEP and WPA (TKIP with IEEE802.1x), WPA2, AES for data security
- Easy configuration with WPS via mouse click from the enclosed software
- Range: up to 100 m in buildings, up to 300 m out of doors (depending on ambient conditions)
- Dimensions: 33 x 16 x 8 mm
- Packaging: blister

System requirements:

- Computer with USB support (USB 2.0 required for maximum data rate)
- Windows® 2000, XP, Windows® Vista®, Windows® 7
- MAC OS 10.6
- Linux: minimum Kernel version 2.6.x.y

Wireless LAN USB adapter, 150 Mbit/s

- IEEE 802.11b/g/n standard for data transfer rates up to 150 Mbit/s
- Compatible with former networks according to 802.11b, 802.11g and 802.11n standard devices
- Encryption: 64/128-bit WEP and WPA (TKIP with IEEE802.1x), WPA2, AES for data security
- Easy configuration with WPS via mouse click from the enclosed software
- Dimensions: 25 x 15 x 7 mm
- Packaging: blister

System requirements:

- Computer with USB support (USB 2.0 required for maximum data rate)
- Windows® 2000, XP, Windows® Vista®, Windows® 7
- MAC OS 10.6
- Linux: minimum Kernel version 2.6.x.y

Network, wireless

Wireless LAN USB adapter, 54 Mbit/s

Solid USB 2.0 Wireless LAN adapter for wireless communications. Easy to operate applications for configuration, monitoring and diagnosis purposes are enclosed.

- IEEE 802.11b/g standard
- Compatible with 802.11b and 802.11g standard devices
- Encryption: 64/128-bit WEP and WPA (TKIP with IEEE 802.1x), WPA2, AES for data security
- Easy configuration with WPS via mouse click
- LED indicator for Link Status
- Including cap for USB plug
- Dimensions: 77 x 26 x 12mm
- Packaging: cardboard box

System requirements:

- Computer with USB support (USB 2.0 required for maximum data rate)
- Windows® 2000, XP, Windows® Vista® or Windows® 7

B-WLAN USB 54 EDP-No. 28790

ctn qty. 5



USB Connection



Speed



Operating Range
Outdoor



Operating Range
Indoor



WPS



WEP / WPA 2

MULTIMEDIA

Network, wired

PCI -> 10/100 Mbit/s Ethernet card

This 10/100 Fast Ethernet PCI card lets you link your PC to a network or replaces defective or legacy 10 Mbps adapters.


- For all networks compliant with the Fast Ethernet (100 Mbps) or Ethernet (max. 10 Mbps) standards
- IEEE 802.3. 10BASE-T & IEEE 802.3u 100Base-TX compatible
- Full duplex (20/200/2000 Mbps)
- RJ45 connection
- LEDs on the bracket indicate the network status
- Easy installation even for beginners due to P&P
- Package: cardboard box

System requirements:

- Computer with PCI slot Rev. 2.2 or compatible
- Windows® 2000, XP, Windows® Vista® or Windows® 7

B-NET 100 GX PCI EDP-No. 30427

ctn qty. 10



PCI Card



Fast Ethernet




Wake on LAN



RJ45

B-NET 1000 PCI EDP-No. 30428 ctn qty. 5



PCI -> 10/100/1000 Mbit/s Gigabit Ethernet card

This 10/100/1000 Mbps Gigabit Ethernet PCI card offers cutting-edge technology for wired networks. It is ideal if you wish to boost data transfer speed, e.g. for video conferencing or other applications with large data volumes.

- Fully compatible with existing 10/100 Mbps networks
- IEEE 802.3 10BASE-T, IEEE 802.3u 100Base-TX & IEEE 802.3ab 1000BASE-T
- Full duplex (20/200/2000 Mbit/s)
- RJ45 port supports auto-uplink for all speeds
- LEDs on the bracket indicate the network status
- Easy installation even for beginners due to P&P
- Package: blister

System requirements:

- Compatible with PCI 2.1 and 2.2 specifications
- Windows® 2000, XP, Windows® Vista® or Windows® 7

NET 100 SW5-N EDP-No. 23407 NF-EDP-No. 30429* ctn qty. 5



10/100Mbit/s Ethernet switch with 5 ports

Fast Ethernet Switch for establishing a star topology network of up to 5 network members such as PCs, print servers or NAS.

- For all 10/100 Mbps networks
- Standards: IEEE 802.3 (10Base-T), 802.3u (100Base-TX) and 802.3x (full duplex flow control)
- 5 RJ45 ports with auto-uplink
- Automatic detection of 100 Mbps or 10 Mbps data rates
- Supports full duplex (20/200 Mbps) and half duplex (10/100 Mbps) modes
- Network status indication by LEDs
- Dimensions: 125 x 70 x 30 mm
- Packaging: blister

System requirements:

- Existing Ethernet network with 10/100 Mbps
- For all operating systems

USB 3.0 - The new standard

USB is by far the most common connection for IT devices. It was originally developed in order to simplify the wide range of connections to PCs and to enable installation of various accessories such as mice, keyboards, webcams etc. USB has now become the standard connection for almost all digital devices such as netbooks, notebooks, Smartphones and all-in-one PCs.

With the new "SuperSpeed" USB 3.0 version, this connection has once again been considerably improved. As USB 3.0 has been officially adopted as the global standard, perfect functionality between the relevant devices is now ensured.




Essential features of USB 3.0:

1. Speed is the most important feature:

5Gbit/s means a data transfer rate which is about 10x higher than with USB 2.0!

Users of external hard drives will notice a considerable difference.

This is illustrated by a comparison between USB 3.0 and previous types of connection



In order to achieve the maximum transfer rate of 5 GBit/s, all components in the connection chain (boards -> cables -> devices) must be certified for USB 3.0 Vivanco has the necessary range of accessories. Thanks to optimisation of communication between devices (transfer protocol) even the connection of USB 2.0 devices (e.g. USB memory sticks) to USB 3.0 ports can result in a speed increase of up to 8%.

2. Compatibility:

USB 3.0 devices are compatible with USB 2.0 and USB 1.1, however they then only provide the specified data transfer rates.


3. Energy efficiency:

USB 3.0 supports various power saving modes, which in particular increases the operating times of battery-powered devices.

B-USB3 2P PCIE

EDP-No. 30430

ctn qty. 5



B-USB3 2P PCCE

EDP-No. 30432

ctn qty. 5



Included power adapter



The Cards 30430 und 30432 are used to tune computers without USB 3.0 connector. The new generation of USB devices allows 10-times faster data transfer between computers and connected USB 3.0 devices.

Note: All components must be USB 3.0 certified to benefit by SuperSpeed data transfer (Interface, cable, device). Fitting connections you can find in the catalogue. Users of USB 2.0 devices will also benefit by USB 3.0 interfaces due to optimized data processing. Datarates of USB 2.0 devices (e.g. memory sticks) may increase by ~8%.

PCIe -> USB 3.0

card with 2 USB ports

- 2 x USB 3.0 SuperSpeed ports
- Approx. 10x faster than USB 2.0
- Meets USB specification USB 3.0
- Compatible with USB 2.0 and USB 1.1
- Suitable for all devices with "SuperSpeed" (5 GBit/s), "HighSpeed" (480 MBit/s) and "FullSpeed" (12 MBit/s)
- For upgrading PCs
- Power connector to connect with internal PC-power supply
- Packaging: blister

System requirements:

- Free PCI Express slot
- (Recommended PCI Express 2.0)
- Windows® XP / Windows® Vista® / Windows® 7
- (Each 32 and 64 bit) or higher

Express Card -> USB 3.0

card with 2 USB ports

- 2 x USB 3.0 SuperSpeed ports
- Approx. 10x faster than USB 2.0
- Meets USB specification USB 3.0
- Compatible with USB 2.0 and USB 1.1
- Suitable for all devices with "SuperSpeed" (5 GBit/s), "HighSpeed" (480 MBit/s) and "FullSpeed" (12 MBit/s)
- For upgrading notebooks/netbooks
- Power adapter 2A included
- Packaging: blister

System requirements:

- Notebooks or Netbooks with free 34 mm Express Card slot
- Windows® XP / Windows® Vista® / Windows® 7
- (Each 32 and 64 bit) or higher

USB 3.0

USB 3.0 harddisk adapter for SATA harddisks

The adapter is used to connect serial ATA (SATA) harddisks with PC's, notebooks or netbooks using USB 3.0 connection. The new generation of USB devices allows up to 10-times faster datatransfer compared to USB 2.0. Requirement for maximum datarate of up to 5Gbit/s: Adapter must be connected to USB 3.0 interface. In case this interface is missing it can be added by Vivanco items 30430 or 30432.

- Approx. 10x faster than USB 2.0
- Supports High Speed USB 2.0 (480 MBit/s), compatible with USB 1.1
- Supports 48 Bit LBA
- Supportst 1.5 Gbit/s- or 3.0 Gbit/s-operation
- Supports Ultra DMA and Multi-Word DMA 0-2
- Hot Swapping¹⁾
- Includes external switched mains unit for the power supply of the hard drive, 5 V / 2 A and 12 V / 2 A
- Includes USB 3.0 connecting cables
- Package: cardboard box

System requirements:

- Free USB 3.0 port
- Windows® XP / Windows® Vista® / Windows® 7 (each 32 and 64 bit) or higher
- MAC OS X and Linux minimum Kernel version 2.6.x.y

USB 3.0 hub with 4 ports, incl. power adapter

SuperSpeed USB 3.0 hub with the latest technology for connection of up to four USB devices. Includes USB 3.0 connection cable and Euro switching power adapter. Prerequisite for maximum data transfer rate of up to 5Gbit/s: Connection of the adapter to a USB 3.0 port. If this is not available, the port can be upgraded with Vivanco products 30430 and 30432.

- Elegant design, with 4 USB ports
- Approx. 10x faster than USB 2.0
- Meets USB specification USB 3.0
- Full downward compatibility to USB 2.0 and USB 1.1
- Suitable for all devices with "SuperSpeed" (5 GBit/s), "HighSpeed" (480 MBit/s) and "FullSpeed" (12 MBit/s)
- Including function LEDs

System requirements:

- Computer with USB support
- Windows® XP, Windows® Vista® or Windows® 7
- MAC OS X and Linux minimum Kernel version 2.6.x.y

B-USB3 SATA EDP-No. 30434

ctn qty. 5



Example of application*



Including Power Adapter



USB 3.0 Connection



Super Speed



Compatibility



Easy Installation



No Driver needed

B-USB3 HUB 4A EDP-No. 28360

ctn qty. 5



Illustration similar



USB 3.0 Connection



Super Speed



USB Hub



Power Adapter

* Hard drive not included
1) Can be connected while computer is running

USB SER-N
EDP-No. 23425
NF-EDP-No. 30437*
ctn qty. 5



USB -> serial adapter

This USB to serial adapter provides a compatible serial interface to connect PCs or notebooks via the USB port.

- USB type A plug to D-Sub 9 pin connector for connection with typical serial interface cables
- Suitable for all popular serial devices
- Supports all common RS-232 baud rates
- Fully UART-compatible
- Cable length: 1.5 m
- Package: blister

System requirements:

- Computer compatible with USB
- Windows® 2000, XP, Windows® Vista® or Windows® 7

USB PS/2-N
EDP-No. 23426
NF-EDP-No. 30438*
ctn qty. 5



USB -> 2x PS/2 adapter

Provides two completely compatible PS/2 connections on PCs or notebooks.

- For simultaneous operation of PS/2 keyboard and PS/2 mouse
- Only one USB port is occupied
- Supports multimedia functions of common keyboards
- Package: blister

System requirements:

- Computer with USB support
- Windows® 2000, XP, Windows® Vista® or Windows® 7

USB PAR-N
EDP-No. 23427
NF-EDP-No. 30439*
ctn qty. 5



USB -> parallel/printer adapter

Connects printers with Centronics port to USB port

- USB type A connector to Centronics 36 pin connector for printer connection
- Supports standard PC parallel port applications
- Package: blister

System requirements:

- Computer with USB support
- Windows® 98SE, 2000, ME, XP, Windows® Vista® or Windows® 7

USB 2.0, Adapters

USB 2.0 -> 10/100 network adapter

This USB to Fast Ethernet adapter converts an USB port on a PC or notebook into a high-speed Ethernet port. Due to the USB high-speed technology Ethernet bandwidth of 100 Mbps can be supported.

- USB type A plug to RJ45 socket for connection to networks via Ethernet cables
- Full-speed USB standard, compatible with USB 1.1
- Compatible with IEEE 802.3 10BASE-T & IEEE 802.3u 100Base-TX
- Supports full duplex mode (20/200 Mbit/s)
- Cable length: 1.8 m
- Package: blister

System requirements:

- Computer with USB support (USB required for 100 Mbps)
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- Nintendo™ Wii

USB2 NET-N

EDP-No. 23482

NF-EDP-No. 30440*

ctn qty. 5



USB 2.0 link cable PC / MAC

USB 2.0 link cable for easy PC <-> PC, PC <-> MAC or MAC <-> MAC data exchange. Software already integrated in the cable, making an installation of drivers or software unnecessary. Simply plug the cable to a USB port, wait for the application to launch; then copy, move or rename files.

- Runs with PC and MAC – also for PC-MAC combinations
- Ready for use at any time since the software is integrated in the cable
- No need to install drivers or software
- Supports High Speed USB 2.0 (480 MBit/s), compatible with USB 1.1
- Ideal for synchronising, data exchange or restoring data
- LED status display for both connections
- Intuitive software
- Package: blister

System requirements:


- Free USB 2.0 port
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- MAC OS 10.3 or higher

USB2 LINK PCMAC


EDP-No. 26273

NF-EDP-No. 30441*

ctn qty. 5



B-USB2 EXT EDP-No. 30436 ctn qty. 5



Active USB 2.0 extension

Active USB 2.0 extension, extends USB ports by 5.0 m

- Signal booster integrated in extension
- Maintains the USB 2.0 signal quality and ensures compliance with USB specifications
- Allows cable extensions of up to 24.0 m
- Supports low-speed, high-speed and full-speed devices
- Cable length: 5.0 m
- Package: blister

System requirements:

- Computer with USB support (preferably USB 2.0)
- For all operating systems

B-USB2 SATA/IDE EDP-No. 30433 ctn qty. 5



USB 2.0 to SATA / IDE adapter incl. power adapter

Connect quickly and convenient all 2.5" / 3.5" SATA and IDE/PATA hard disk drives (HDDs) to your notebook or desktop PC via USB 2.0 interface.

- Supports high speed USB 2.0- compatible to USB 1.1
- Allows an access to all 2,5"- / 3,5"-SATA or 2,5" (44pin)- / 3,5" (40pin)-IDE
- Supports Ultra DMA 0-6 and multi word DMA 0-2
- Hot Swapping¹⁾
- Incl. external power adapter 5V 2A - 12V / 2A
- Incl. USB 2.0, SATA and molex to SATA cable
- Package: cardboard box

System requirements:

- Free USB 2.0 port
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- MAC OS 10.2+

¹⁾ Can be connected while computer is running

²⁾ Hard drive not included

USB 2.0, Green hubs

Environmental protection by way of energy saving becomes more and more important. Everybody is using terms like Green IT, standby current, energy efficiency or carbon dioxide emission. But everyday life is totally different. Does it annoy you when USB devices continue running although you turned off your computer?

Everyday situations like the following contradict the idea of environmental friendliness:

- Hard disks continue running
- Keyboard and mice remain powered

The bazoo Green hub series helps you save money while simultaneously protecting the environment. The switch integrated in the hub isolates all connected USB devices from the USB power supply if desired.

GREEN HUB, 4 USB ports

Passive USB design hub with 4 USB ports and switch for complete isolation of all connected USB devices from the USB port.

- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Clever arrangement of all necessary connection combinations to prevent ports from being obstructed by large USB devices:
 - 3 ports on the top of the hub
 - 1 port on the side of the hub
- Rubber feet prevent slipping on the table
- Packaging: blisterbox

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux



B-USB 2HUB 4EP
EDP-No. 27188
ctn qty. 6



Power switch



Power connector



Power Off



High Speed



USB Port



Cable Length

USB 2.0, Green hubs

B-USB 2HUB 4EA

EDP-No. 27189

ctn qty. 6



**POWER
SAVING**



Power switch



Power connector



Power Off



High Speed



Power Adapter



USB Port



Cable Length

B-USB 2HUB 7EA

EDP-No. 27190

ctn qty. 6



**POWER
SAVING**



Power switch



Power connector



Power Off



High Speed



Power Adapter



USB Port



Cable Length

GREEN HUB, 4 USB ports, incl. power adapter

Active USB design hub with 4 USB ports and switch for complete isolation of all connected USB devices from the USB port.

- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Clever arrangement of all necessary connection combinations to prevent ports from being obstructed by large USB devices:
 - 3 ports on the top of the hub
 - 1 port on the side of the hub
- Rubber feet prevent slipping on the table
- Power adapter for worldwide operation, independent of mains voltage and frequency
- Packaging: blisterbox

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

GREEN HUB, 7 USB ports, incl. power adapter

Active USB design hub with 7 USB ports and switch for complete isolation of all connected USB devices from the USB port.

- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Clever arrangement of all necessary connection combinations to prevent ports from being obstructed by large USB devices:
 - 4 ports on the top of the hub
 - 3 ports on the side of the hub
- Rubber feet prevent slipping on the table
- 1.8 m USB 2.0 connection lead
- Power adapter for worldwide operation, independent of mains voltage and frequency
- Packaging: blisterbox

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB 2.0 hubs

USB 2.0 hub, 7 USB ports, incl. power adapter

Compact 7-port USB 2.0 hub for connecting up to seven USB 2.0 or USB 1.1 devices. Incl. USB 2.0 cable and power adapter.

- Elegant design with 7 USB ports
- 1 USB port suitable for wider products, without obstructing the other ports
- Supports data transfer rates of up to 480 Mbit/s
- Meets USB specification Rev. 2.0, fully downward compatible with USB 1.X
- Suitable for all low-speed (1.5 Mbps), full-speed (12 Mbps) and high-speed (480 Mbps) USB devices
- Including function LED
- Including power adapter 5 V, 3.0 A for devices with high power consumption such as USB hard disks
- Packaging: cardboard box

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB2 HUB 7A EDP-No. 28793

ctn qty. 5



Rear - connections



USB 2.0 Connection



Speed



Power Adapter



USB Port

USB 2.0 hub, 4 ports, incl. power adapter

4-port USB-2.0 hub, for connection of up to four USB 2.0 or USB 1.1 devices, including USB cable and mains unit

- 480 MBit/s, 40 x faster than USB 1.1
- Supports data transfer rates: 480 MBit/s, 12 MBit/s and 1.5 MBit/s
- Fully downward compatible with USB 1.1
- Active exchange: peripherals can be connected and disconnected at any time
- Including high-power 5V 2A switching power adapter to operate devices with high current consumption, e.g. USB hard drives
- Package: cardboard box

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB HUB 4A EDP-No. 28792

ctn qty. 10



Power supply connector



USB 2.0 Connection



Speed



Power Adapter




USB Port

new B-USB 2 HUB 4SP
EDP-No. 27207
ctn qty. 5



High gloss surface



Extra slim, only 8 mm high



USB 2.0 Connection



Speed



USB Port

USB hub extra slim, 4 ports

The bazoo Slim hub is the perfect solution for users of mobile computers. Modern, extra slim and small design differentiates it from conventional hubs.

- USB 2.0 for data rates up to 480 MBit/s
- 4 ports
- Extra slim case, only 8 mm high
- White glossy housing
- 0.3 m connection cable

For all operating systems which support USB, such as:

- Windows® 98SE, 2000, ME, XP, Windows® Vista® and Windows® 7
- MAC OS 9.x or higher
- Linux Kernel 2.6.x.y. or higher

new B-USB HUB 4WP-A
EDP-No. 30443
ctn qty. 5



Optional power supply



USB 2.0 Connection



Speed



USB Port

USB hub with high glossy acrylic-housing, 4 ports

- USB 2.0 for data rates up to 480 MBit/s
- 4 ports
- Connection socket for power supply
- Rubber feet prevent slipping on the table
- 1.8 m connection cable

For all operating systems which support USB, such as:

- Windows® 98SE, 2000, ME, XP, Windows® Vista® and Windows® 7
- MAC OS 9.x or higher
- Linux Kernel 2.6.x.y. or higher

USB 2.0 hubs

bazoo LUGUS FL, USB design hub, 4 ports

Compact USB design hub, ideal for mobile use

- USB 2.0 for data rates up to 480 MBit/s
- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Cleverly arranged ports for all the required combinations of connections to prevent ports from being blocked by large USB devices:
 - 3 ports on the front of the hub, of which one can be tilted by 90°
 - 1 port on the side of the hub
- Blue function LED on top
- With special rubber coated surface for better touch
- Rubber feet prevent slipping on the table
- 0.5 m connection cable
- Packaging: blister in sales display

System requirements:

- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB 2.0 HUB passive, 4 ports

USB 2.0 hub for connection of up to 4 USB devices for use with a notebook or desktop PC


- For USB devices with low power requirement (self-powered mode), e.g. USB mice and devices with their own power supply
- Compatible with USB 1.0 / 1.1
- Practical recess for storing the connector in the device
- Size only: 95 x 30 x 14,5 mm
- Packaging: blister

System requirements:

- Computer with USB support (preferably USB 2.0)
- USB Port, Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 9.x+ or Linux

B-USB 2HUB 4 FLP EDP-No. 27191

ctn qty. 5



No obstructed ports



USB 2.0 Connection



High Speed



USB Port



Cable Length

PRO USB2 HUB 4PN EDP-No. 28794

ctn qty. 10



USB 2.0 Connection



High Speed




USB Port



USB 2.0 hubs + Card reader

new B-USB 2 HUB RW
EDP-No. 27192
ctn qty. 5



Integrated USB cable



USB ports / MS slot



Mini + micro SD / SD+MMC+CF



USB 2.0



Hub Port



Cardreader

Combo card reader + hub, 2in1

The USB 2.0 universal card reader supports most common memory cards. For most small cards, e.g. MicroSD, no separate adapter is required. The combination with integrated USB hub completes the device.

- For high capacity cards (SDXC + SDHC)
- High glossy acryl finish
- Integrated and flexible USB connection cable
- Integrated status LED
- SLOTS:
 - SD / MMC, also SDHC and SDXC / RSMC / miniSD
 - Memory Stick, also Duo and DuoPro
 - MicroSD / T-Flash
 - M2
 - CF
- USB hub
 - 3 USB 2.0 ports
 - Optional power supply possible from mains unit via DC socket

System requirements:

- USB 2.0 oder USB 1.1 Port
- Windows® ME, 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10.x, Linux Kernel 2.6.x.y

USB 2.0 Card reader

B-RW UNI 4S D1
EDP-No. 27208
ctn qty. 5



Integrated USB connector



USB 2.0



Cardreader



Swiveling Plug

Design multi Card reader, 4 slots

The USB 2.0 universal designer card reader supports most common memory cards. For most small cards, e.g. MicroSD, no separate adapter is required.

- For high capacity cards (SDXC + SDHC)
- Metallic-painted housing with aluminium shells
- Pluggable, integrated USB connector
- Integrated status LED
- SLOTS:
 - SD / MMC, also SDHC and SDXC / RSMC / miniSC
 - Memory Stick, also Duo and DuoPro
 - MicroSD / T-Flash
 - M2

System requirements:

- USB 2.0 or USB 1.1 Port
- Windows® ME, 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10.x, Linux Kernel 2.6.x.y

USB 2.0 Card reader

Universal card reader

Universal card reader for reading from/writing to memory cards. No adapter is required for most memory cards.

- Also for high capacity cards (SDXC + SDHC)
- Functions LED
- Incl. USB connection cable
- SLOTS:
 - SD / MMC, also SDHC and SDXC / RSMMC / miniSD
 - Memory Stick, also Duo and DuoPro
 - MicroSD / T-Flash
 - M2
 - xD
 - CF

System requirements:

- Computer with USB support
(USB 2.0 is required for maximum data transfer rates)
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- Linux minimum Kernel 2.6.x.y
- MAC OS 10.x or higher

new RW UNI 6S1
EDP-No. 27210
ctn qty. 5



Mini card reader, 4 slots

Extremely compact but universal card reader device. Ideal for people who are on the go. For most small cards e.g. Micro SD, no separate adapter is necessary.

- For high capacity cards (SDHC)
- Integrated and flexible connection cable
- Integrated blue status LED

SLOTS:

- SD / MMC, also SDHC, SDXC
- Memory Stick, also Duo and DuoPro
- MicroSD / T-Flash
- M2

System requirements:

- USB 2.0 or USB 1.1 Port
- Windows® ME, 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10.X, Linux Kernel 2.6.x.y

new B-RW UNI 4S XS
EDP-No. 27209
ctn qty. 5



3 slots on rear



Cable clip



new B-NB KIT MUB
EDP-No. 27202
ctn qty. 4 / black/silver



TUNING KIT #3 - Mouse + Hub + Bluetooth® dongle

The bazoo TUNING KIT#3 is the ideal accessory for (mini-) notebooks. It greatly improves convenience when using these devices. Any user who is annoyed with small, difficult-to-use touch pads will love this value-for-money kit consisting of mouse and hub with Bluetooth® dongle. The unique feature of this special combination of products is its appeal to users of (mini-) notebooks

Hub:

- USB 2.0
- 4 ports on the side
- Short flexible connection cable
- Indicator light on hub

Mouse:

- USB 2.0
- 800 dpi optical sensor resolution
- Cable length: 1.4 m
- 3 buttons with scroll wheel

USB Bluetooth® dongle:

- Latest Bluetooth® Version v2.1 with EDR (Enhanced Data Rate)
- Approx. 10 m range
- Includes TOSHIBA Bluetooth® software complete support of all common BT profiles
- High data security through encryption and authentication
- NFC (Near Field Communication Technology) coupling

Windows® 2000, XP, Windows® Vista®, Windows® 7 and MAC OS 10.2+

USB 2.0 Tuning Kits

TUNING KIT#1, Mouse + Hub

The bazoo TUNING KIT#3 is the ideal accessory for (mini-) notebooks. It greatly improves convenience when using these devices. Any user who is annoyed with small, difficult-to-use touch pads will love this value-for-money kit consisting of mouse. The unique feature of this special combination of products is its appeal to users of (mini-) notebooks

Hub:

- USB 2.0
- 4 ports on the side
- Short flexible connection cable
- Indicator light on hub

Mouse:

- USB 2.0
- 800 dpi optical sensor resolution
- Cable length: 1.4 m
- 3 buttons with scroll wheel

new B-NB KIT MU-W EDP-No. 27200

ctn qty. 4 / white pearlescent/silver

new B-NB KIT MU-R EDP-No. 27203

ctn qty. 4 / red, metallic/silver



USB 2.0 Connection



800
dpi

Sensitivity



4x

USB Port

MULTIMEDIA

USB 2.0 Interface

PCI -> USB 2.0 card 4+1 port

The high-speed USB controller card provides a USB 2.0 standard interface. This USB controller supports all USB devices and high-speed USB data rates.


- 4 external and 1 internal downstream (type A) ports
- Supports maximum data rates of 480 Mbps
- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Suitable for all low-speed (1.5 Mbps), full-speed (12 Mbps) and high-speed (480 Mbps) USB devices
- Supports Plug & Play standard
- Package: blister

System requirements:

- Computer with PCI slot rev. 2.2 or kompatibel
- Windows® 2000, XP, Windows® Vista® or Windows® 7

IO 4+1 USB2 EDP-No. 30431

ctn qty. 5



PCI Card




USB 2.0 Connection



up to
480
Mbit/s

Speed



What is Bluetooth® v3.0 EDR?






Bluetooth® v3.0 Enhanced Data Rate is the latest version of the Bluetooth® standard.

The most important new features:

- Low power consumption
 - > Longer operation time for mobile devices
- Simple connection via Near Field Communication
 - > High ease of use, simple operation

The 3.0 standard is fully compatible with older devices with versions 1.1, 1.2, 2.0 and 2.1.

Bluetooth® Product Matrix

Product	Bluetooth® v2.1 Class2 Stick	Bluetooth® v2.1 Class2 Stick	Bluetooth® v2.1 Class1 Stick	Bluetooth® v3.1 Class2 Stick	Bluetooth® v3.1 Class1 Stick
EDP	26916	27212	27211	28357	NEW
Short-Description	<ul style="list-style-type: none"> • Bluetooth® version 2.1 	<ul style="list-style-type: none"> • Bluetooth® version 2.1 • Incl. software 	<ul style="list-style-type: none"> • Bluetooth® version 2.1 • Incl. software 	<ul style="list-style-type: none"> • Bluetooth® version 3.0 • Incl. software 	<ul style="list-style-type: none"> • Bluetooth® version 3.0 • Incl. software 
Useable for	<div>Best for:</div> <div> <input checked="" type="radio"/> All-in-One <input type="radio"/> Tablet <input type="radio"/> Notebook <input checked="" type="radio"/> Netbook <input type="radio"/> Desktop </div>	<div>Best for:</div> <div> <input checked="" type="radio"/> All-in-One <input type="radio"/> Tablet <input checked="" type="radio"/> Notebook <input checked="" type="radio"/> Netbook <input type="radio"/> Desktop </div>	<div>Best for:</div> <div> <input checked="" type="radio"/> All-in-One <input type="radio"/> Tablet <input type="radio"/> Notebook <input checked="" type="radio"/> Netbook <input type="radio"/> Desktop </div>	<div>Best for:</div> <div> <input checked="" type="radio"/> All-in-One <input type="radio"/> Tablet <input type="radio"/> Notebook <input checked="" type="radio"/> Netbook <input type="radio"/> Desktop </div>	<div>Best for:</div> <div> <input checked="" type="radio"/> All-in-One <input type="radio"/> Tablet <input type="radio"/> Notebook <input checked="" type="radio"/> Netbook <input type="radio"/> Desktop </div>
Arguments for market	<ul style="list-style-type: none"> • Cheap entry-level product • Only for Bluetooth® protocols supported by Windows 	<ul style="list-style-type: none"> • The All-rounder • For all Bluetooth®-protocols useable • Also for Mac 	<ul style="list-style-type: none"> • The All-rounder • For all Bluetooth®-protocols useable • Also for Mac 	<ul style="list-style-type: none"> • Latest technology • Great potential for upgrade business • For all Bluetooth®-protocols useable • Compact blister, also suitable for second placements • Also for Mac 	<ul style="list-style-type: none"> • Latest technology • Great potential for upgrade business • For all Bluetooth®-protocols useable • Compact blister, also suitable for second placements • Also for Mac
Arguments for customer	<ul style="list-style-type: none"> • For data transfer • For distance up to 20m 	<ul style="list-style-type: none"> • For all Bluetooth® applications without restriction, e.g. stereo-audio • For distance up to 20m • Easy connection 	<ul style="list-style-type: none"> • For all Bluetooth® applications without restriction, e.g. stereo-audio • For large distances up to 100m • Easy connection 	<ul style="list-style-type: none"> • For all Bluetooth® applications without restriction, e.g. stereo-audio • For distance up to 20m • An investment for the future • Easy connection • Rapid connection setup • Highest Data security 	<ul style="list-style-type: none"> • For all Bluetooth® applications without restriction, e.g. stereo-audio • For large distances up to 100m • An investment for the future • Easy connection • Rapid connection setup • Highest Data security
Packaging	Blister	Blister	Blister	Blister	Blister

Bluetooth®



Thanks to the extremely small size of the bazoo Bluetooth® dongle, it can remain plugged in to the notebook or netbook for transport. It enables quick and simple wireless connection of computers to Bluetooth®-compatible devices such as mobile phones, smartphones, headphones, printers etc.

USB Bluetooth® v3.0 adapter, class 2

This USB dongle uses the latest Version v3.0 Bluetooth® generation, whose current consumption, data security and operating convenience has been improved compared with previous versions. The supplied Broadcom® software supports all Bluetooth® profiles, e.g. stereo audio transfer (A2DP).

- Latest Bluetooth® Version v3.0
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR, v2.1 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- Incl. convenient Broadcom® management software for managing the Bluetooth® PAN
- Incl. printed quick-start guide and extensive software help function
- Packaging: blister

System requirements:

- Computer with USB 2.0 support
- Windows® 2000, XP or Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

USB Bluetooth® v2.1 adapter, class 1

High performance USB dongle with tried-and-tested Bluetooth® standard. The supplied Toshiba software supports all Bluetooth® profiles, e.g. stereo audio transfer (A2DP).

- Bluetooth® Version v2.1
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- The included Bluetooth® software by TOSHIBA offers best support for all current BT profiles
- Includes quick guide and extensive manual on CD
- Packaging: blister

System requirements:

- Computer with USB 2.0 support
- Windows® 2000, XP oder Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

B-BT3.0 USB C2 EDR EDP-No. 28357

ctn qty. 5



B-BT2.1 USB C1 EDR EDP-No. 27211

ctn qty. 5



MULTIMEDIA

B-BT2.1 USB C2 EDR
EDP-No. 27212
ctn qty. 5



USB Bluetooth® v2.1 adapter, class 2

The supplied Toshiba software supports all Bluetooth® profiles, e.g. stereo audio transfer (A2DP).

- Bluetooth® Version v2.1
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- The included Bluetooth® software by TOSHIBA offers best support for all current BT profiles
- Includes quick guide and extensive manual on CD
- Packaging: blister

System requirements:

- Computer with USB 2.0 supports
- Windows® 2000, XP oder Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

PRO BT2.1 USB C2
EDP-No. 26916
ctn qty. 5



USB Bluetooth® v2.1 dongle, class 2

No software installation required, thanks to access to the Bluetooth® stack of the operating system.

- Bluetooth® Version v2.1
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- Includes printed quick guide
- Packaging: blister

System requirements:

- Computer with USB support
- Windows® 2000, XP or Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

Security

LOCK

Security steel lock

In spite of its low weight extremely safe chain lock for securing valuable notebooks or beamers at the work place or when travelling.

- Sling loop around a table-leg, for example, and secure the lock insert on the unit
- No universal key but code system
- Weight only approx. 120 g

new B-NBK LOCK
EDP-No. 23240
NF-EDP-No. 28753
ctn qty. 5



2 code keys



Theft Protection



For Notebook



For Beamer



6x3mm Lock Needed



Length



Code Key

Peripherals

SNAKE

USB LED light

- Provides spot illumination without disturbing anyone, ideal in darkened trains and airplanes
- Operates off the USB port
- Low power consumption due to LED technology
- Highly flexible swan neck for optimum focusing
- Weight: approx. 60 g
- Package: blister

new B-NBK SNAKE
EDP-No. 28754
ctn qty. 5



USB 2.0 Connection




Power Adapter



Light Weight



Length



MULTIMEDIA

Others

Heat paste, 3g

The thermal paste is produced using an outstanding nano technology-based manufacturing technique and thus ideally suited for balancing out any unevenness between CPUs and heat sinks. The nano grease can also be used on graphic cards for better thermal conductivity between the GPU (graphic processor unit) and the heat sink.

- High thermal conductivity
- Ideally suited for use on CPUs and GPUs
- Thermal Conductivity 4.5 W/m-K
- Thermal Impedance < 0,205 °C-in²/W
- With spatula for spreading the thermal paste
- Silicone: 50 % / Carbon: 30 % / Metal Oxide: 20 %

HEAT PASTE
EDP-No. 23451
NF-EDP-No. 30444
ctn qty. 5



Easy Use



Temperature Range



Mousepads

SHIVA S High Speed Gaming Mousepad

The SHIVA S Gaming Mousepad allows fast reactions even in tight game situations. The anti-scratch SuperGlide surface makes extremely fast mouse movements possible - whenever the game situation needs it. Leading gaming mice show a top performance on the innovative highspeed surface - no matter if they use laser, optical or BlueSense sensors! The rubbered bottom side guarantees a maximum grip on the desk's surface. The SHIVA S mousepad has an optimized gaming size of 355 x 260 mm and therefore is optimal for any game and gamer!

- Mousepad size: 355 x 260 mm
- Anti-slip rubbered bottom side (ExtraGrip)
- Anti-scratch SuperGlide surface for fast movements
- Works with all sensors
- Stable and hard material for highest grip and performance

B-MP GP SHS EDP-No. 28279

ctn qty. 30



SuperGlide surface



SuperGrip bottom



Non-Slip



Laser Sensor



BlueSense Sensor



Optical Sensor



Scratch Resistant



Fast Surface


SHIVA P High Precision Gaming Mousepad

The SHIVA P Gaming Mousepad has been developed for games and gamers needing highest precision and control for their mouse movements. The roughly textured SuperControl surface allows the pixel-perfect positioning of the mouse cursor of any leading gaming mouse - no matter if they use laser, optical or BlueSense sensors! The rubbered bottom side guarantees a maximum grip on the desk's surface. The SHIVA P mousepad has an optimized gaming size of 355 x 260 mm and therefore is optimal for any game and gamer!


- Mousepad size: 355 x 260 mm
- Anti-slip rubbered bottom side (ExtraGrip)
- Roughly textured SuperControl surface for high precision
- Works with all sensors
- Flexible and soft structure makes the pad a good companion for travelling

B-MP GP SHP EDP-No. 28281

ctn qty. 30



Rough surface
for high precision



Non-slip bottom



Non-Slip



Laser Sensor



BlueSense Sensor



Optical Sensor



Precise Surface

LIFESTYLE

B-MP 3-IN-1 BK
EDP-No. 28277
ctn qty. 24



Protection



Cleaning



Mousepad



Non-Slip



Laser Sensor



BlueSense Sensor



Optical Sensor



Protection




Cleaning



Mousepad

B-MP MP RD
EDP-No. 28269
ctn qty. 50 / red

B-MP MP BL
EDP-No. 28270
ctn qty. 50 / blue



Super grip



GluePoint bottom



Metallic surface



Non-Slip



Laser Sensor



BlueSense Sensor



Optical Sensor



Ultra-Thin



Scratch Resistant



Fast Surface

3-IN-1 MULTIFUNCTION PAD

The 3-IN-1 Multifunction Pads offer a new combination of useful features for Netbooks and Notebooks. Beside the mousepad function it can be used to dry clean the display or glossy surfaces of Netbooks. As third function it can be put between the keyboard and the display to protect this from scratches during transportation.

- Mousepad size: 258 x 160 mm
- Rubbered backing for use on any surface
- Innovative surface for universal use of all sensors
- Special material structure to protect the display from scratches
- Microfibers for thorough and careful cleaning
- Antimicrobial fiber technology - protects against micro organisms without being harmful for the environment

METALPAD - Ultrathin Metallic-Mousepad

The METALPAD mousepads combine modern surfaces and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The SuperGlide metallic surface allows fastest movements of the mouse and works with any mouse sensor.

- Mousepad size: 220 x 180 mm
- Ultrathin material, only 0.4 mm thick
- Antislip SuperGrip metallic bottom side
- Anti-scratch SuperGlide surface for fastest movements
- Works with all sensors and mice types

Mousepads

METALPAD

Ultrathin Metallic-Motif-Mousepad

The METALPAD mousepads combine modern motifs and surfaces and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The SuperGlide metallic surface allows fastest movements of the mouse and works with any mouse sensor.

- Mousepad size: 220 x 180 mm
- Ultrathin material, only 0.4 mm thick
- Antislip SuperGrip metallic bottom side
- Anti-scratch SuperGlide surface for fastest movements
- Works with all sensors and mice types

B-MP MP BZ
EDP-No. 28271
ctn qty. 50 / motif A

B-MP MP CRN
EDP-No. 28272
ctn qty. 50 / motif B

B-MP MP GUI
EDP-No. 28273
ctn qty. 50 / motif C

B-MP MP POP
EDP-No. 28274
ctn qty. 50 / motif D

B-MP MP MAT
EDP-No. 28275
ctn qty. 50 / motif E


B-MP MP ROB
EDP-No. 28276
ctn qty. 50 / motif F



Super grip



GluePoint bottom



Metallic surface



Non-Slip



Laser Sensor



BlueSense Sensor



Optical Sensor



Ultra-Thin



Scratch Resistant



Fast Surface



A



B



C



D



E



F

B-MP PP NAT
EDP-No. 28265
 ctn qty. 20

PICTUREPAD Ultrathin Motif Mousepad

The PICTUREPAD mousepads combine modern motifs and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The carefully selected motifs and surfaces allow the use of the pads with any mouse and sensor type - no matter if the mouse uses a ball or a laser sensor!

- Mousepad size: 240 x 190 mm
- Ultrathin material, only 0.4 mm thick
- Antislip bottom
- Works with all sensors and mice types
- RDC allows flexible positioning in the shop

The motifs of this nature series show original pictures licensed by National Geographic:

- Penguins, Antarctica
- Amazonas, Brasil
- Yoho National Park British Columbia, Canada
- Queensland, Australia



GluePoint bottom



Mousepads

PICTUREPAD

Ultrathin Motif Mousepad

The PICTUREPAD mousepads combine modern motifs and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The carefully selected motifs and surfaces allow the use of the pads with any mouse and sensor type - no matter if the mouse uses a ball or a laser sensor!

- Mousepad size: 240 x 190 mm
- Ultrathin material, only 0.4 mm thick
- Antislip bottom
- Works with all sensors and mice types
- RDC allows flexible positioning in the shop

The motifs of this hero series show typical license-free scenes and situations taken from superhero comics. All motifs are bazoo exclusive motifs!

B-MP PP HERO

EDP-No. 28266

ctn qty. 20



GluePoint bottom



Non-Slip



Laser Sensor




BlueSense Sensor



Optical Sensor



Ultra-Thin



LIFESTYLE

new B-MP PP FLAME

EDP-No. 28267

ctn qty. 20



Non-slip bottom



Non-Slip



Laser Sensor



BlueSense Sensor



Optical Sensor



Ultra-Thin

Ultrathin Motif Mousepad

The PICTUREPAD mousepads combine modern motifs and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The carefully selected motifs and surfaces allow the use of the pads with any mouse and sensor type - no matter if the mouse uses a ball or a laser sensor!

- The motifs of this sports flames series show:
Football, American Football, Stop watch, Golf ball
- Mousepad size: 240 x 190 mm
- Ultrathin material, only 0.4 mm thick
- Antislip bottom
- Works with all sensors and mice types
- RDC allows flexible positioning in the shop



Mousepads

MOUSEPAD with textile covering

The MOUSEPAD is an extremely flat mouse pad with a textile covering for convenient and ergonomic mouse control. Available in 3 different colours.

- Colours: red, black, blue,
- Each with the bazoo logo in the top left corner
- Supplied in a display box with 24 mousepads
- 8 of each colour
- Textile surface with anti-static effect
- Non-skid foam rubber backing
- Mousepad size: 200 x 230 mm
- Ultrathin material, only 0.3 mm thick
- Package: polybag
- Only sold in full packaging units!

new B-MP BP UNI
EDP-No. 28774
ctn qty. 24



Illustration similar



Motif Mousepad holiday

The MOUSEPAD is an extra flat picture mouse pad for convenient and ergonomic mouse control. It is available with 4 different holiday images.

- 4 different holiday motifs
- Each with the bazoo logo in the top left corner
- Supplied in a display box with 24 mousepads
- 6 of each motif
- Non-skid foam rubber backing
- Size: 20 x 23 cm
- Slim: thickness only 3 mm!
- Package: polybag
- Only sold in full packaging units!

new B-MP BP HOL
EDP-No. 28775
ctn qty. 24



Illustration similar



LIFESTYLE

new B-MP BP PET
EDP-No. 28776
ctn qty. 24



Motif Mousepad Pets

The MOUSEPAD is an extra flat picture mouse pad for convenient and ergonomic mouse control. It is available with 4 different animal images.

- 4 different animal motifs: baby polar bear, kittens, puppy dog, black lamb
- Each with the bazoo logo in the top left corner
- Supplied in a display box with 24 mousepads
- 6 of each motif
- Non-skid foam rubber backing
- Size: 20 x 23 cm
- Slim: thickness only 3 mm!
- Package: polybag
- Only sold in full packaging units!

Skins

B-SSK LEO 10
EDP-No. 28290
ctn qty. 30



Artificial fur surface

Easy adapting



Protection



Customizable

SAFARISKIN notebook decoration foil

This extravagant SAFARISKIN really creates attention and makes an individual Notebook! Thanks to the cutting marks on the backside this high quality metal foil can simply be cut to any size and therefore can be made to fit any notebook lid. The special bottom side allows the secure mount on the lid - but it can easily be peeled off and re-mounted again. The anti-scratch surface offers additional protection of the lid of the notebook.

- Foil size is 305 x 240 mm (for 10" - 12" notebooks)
- Special self-adhesive backside, can be removed without stains
- Anti-scratch surface for extra protection
- Cutting marks on the backside for simple cutting

Skins

METALSKIN notebook decoration foil

With the METALSKINS every Notebook/Netbook can be easily decorated and upgraded. Thanks to the cutting marks on the backside this high quality metal foil can simply be cut to any size and therefore can be made to fit almost any notebook lid. The special bottom side allows the secure mount on the lid - but it can easily be peeled off and remounted again. The anti-scratch surface offers additional protection of the lid of the notebook.

- Special self-adhesive backside, can be removed without stains
- Anti-scratch surface for extra protection
- Cutting marks on the backside for simple cutting
- Available in two sizes

Size 1: For 15" – 17" notebooks: 415 x 315 mm

Size 2: For 10" – 12" notebooks: 305 x 240 mm

B-MSK CRN 15

EDP-No. 28286

ctn qty. 30 / "Crown" / size 1

B-MSK GUI 15

EDP-No. 28287

ctn qty. 30 / "Guitar" / size 1

B-MSK BZ 15

EDP-No. 28288

ctn qty. 30 / "Dragon" / size 1

B-MSK MAT 15

EDP-No. 28289

ctn qty. 30 / "Blue Head" / size 1

B-MSK CRN 10

EDP-No. 28282

ctn qty. 30 / "Crown" / size 2

B-MSK GUI 10

EDP-No. 28283

ctn qty. 30 / "Guitar" / size 2

B-MSK BZ 10


EDP-No. 28284

ctn qty. 30 / "Dragon" / size 2

B-MSK MAT 10

EDP-No. 28285

ctn qty. 30 / "Blue Head" / size 2



Metallic surface



Easy adapting



Protection



Customizable



Scratch Resistant





PC Cleaning Systems

Cleaning system for PC monitor and keyboard

- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150 ml of fluid gives approximately 100 applications
- 30 cm x 30 cm, Microfiber cloth for streak free cleaning, Washable- for extended usage
- Dedicated keyboard cleaning pen with 3 spare heads

Cleaning solution suitable for all PC monitors

- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150 ml of fluid gives approximately 100 applications

Air duster

- Air duster specially developed for keyboards, printers and disk drives
- Removes dust even in inaccessible areas
- Also for overhead application
- Non-inflammable, contains no CFG or HCFC
- Content: 125 ml e
- Dimensions: ø 5.5 x height 18.5 cm

Keyboard cleaner

- Keyboard cleaning pen
- Surface cleaning fluid
- 3 spare cleaning heads

Microfiber cloth for PC monitors

- Microfiber cloth for PC monitors
- Washable – for extended usage

PC2
EDP-No. 26959
ctn qty. 10




PC3
EDP-No. 26960
ctn qty. 10



PC1
EDP-No. 26958
ctn qty. 12



PC4
EDP-No. 26961
ctn qty. 20



PC5
EDP-No. 26962
ctn qty. 20



PC Cleaning Systems

PC6
EDP-No. 26963
ctn qty. 10



Laptop cleaning system

- Cleaning system suitable for laptops and mini notebooks
- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime from screen
- 60 ml of fluid gives approximately 50 applications
- 30 cm x 30 cm, Microfiber cloth for streak free cleaning, washable – for extended usage
- Convenient storage case

PC7
EDP-No. 26964
ctn qty. 10



Laptop screen cleaning fluid

- Cleaning solution for all PC monitors
- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 60 ml of fluid gives approximately 50 applications

PC8
EDP-No. 26965
ctn qty. 12



Cleaning tissues for LCD, TFT and LED screens

- 100 moist cleaning tissues supplied in dispensing tub
- Practical, reclosable dispenser box
- Cleaning liquid is free of alcohol (not inflammable)
- Avoid scratches and smudge
- Safely removes dust and dirt
- Rapid drying and antistatic characteristics
- For LCD, TFT, LED, plasma, laptop, flat screens, PDA and all glass surfaces

PC9
EDP-No. 26966
ctn qty. 10



PC CD/DVD lens cleaner

- 2 brush cleaning system
- Brush and cleaning fluid cleans laser optics in your CD/DVD drive

Others

CD IPN4
EDP-No. 26953
ctn qty. 12



Pen for writing on CDs (4 colours)

- CD marker with 4 colours for permanent writing on CD, DVD, Blu-Ray
- Indelible, water resistant special ink on waterbasis

Placement-Matrix: ALL-IN-ONE

Optimum accessories at a glance

The new prime device classes require matching accessories. Bazoo provides the right product for each of these classes and therefore caters for market demands.

The assignment of products to the individual classes of devices as shown in the following overview is stated on all packages, so that both customers and dealers are given a simple means of orientation.

- This accessory is specially suitable for a particular class of devices
- o This accessory can be used for a particular class of devices

	EDP	Item	All-In-one	Notebook	Tablet	Netbook	Desktop
MULTIMEDIA	27211	USB Bluetooth® dongle, v2.1 EDR, 100m, incl. software	•	o			o
	26273*	USB 2.0 link cable for PC and MAC	•	o			o
	27189	GREEN USB 2.0 design hub, 4 port, active	•	o			
	27190	GREEN USB 2.0 design hub, 7 port, active	•	o			
	30434	USB 3.0 - SATA adapter incl. power adapter	•	o			o
	27210	USB 2.0 universal 56in1 cardreader, 6 slots	•				o
	new	USB Bluetooth® dongle v3.0 EDR, 100m, incl. software	•	o		o	
	28360	USB 3.0 hub, 4 port, active	•	o			o
	27207	USB 2.0 hub, super slim, 4 port, passive	•		o	o	
	new	USB 3.0 universal cardreader	•	o			o
LIFESTYLE	28269	METALPAD red, ultra flat mousepad	•	o			o
	28270	METALPAD blue, ultra flat mousepad	•	o			o
	28271	METALPAD bazoo, ultra flat motif-mousepad	•	o			o
	28272	METALPAD Crown, ultra flat motif-mousepad	•	o			o
	28273	METALPAD Guitar, ultra flat motif-mousepad	•	o			o
	28274	METALPAD Popstar, ultra flat motif-mousepad	•	o			o
	28275	METALPAD Blue Head, ultra flat motif-mousepad	•	o			o
	28276	METALPAD Robolady, ultra flat motif-mousepad	•	o			o
INPUT	27133	MERLIN FM BlueSense mouse, pink	•				o
	27134	MERLIN FM BlueSense mouse, grey	•				o
	27142	MERLIN TOUCH multitouch mouse	•		o		
	28773	iBOARD MINI, USB mini keyboard	•				o
	27143	iBOARD FM, wireless design keyboard	•		o		o
SOUND	23692	NETO ST stereo headset	•	o			o
	23693	NETO USB stereo headset	•	o			o
	27166	NETO 2.1W stereo subwoofer system	•				o
	27177	MERLIN BT Bluetooth® headset	•	o			
	27178	NETO R stereo headset (white)	•	o			o
	27179	NETO R stereo headset (red)	•	o			o
	27182	NETO USB stereo headset chrome/white	•	o			o

OTHERS



	EDP	Item	Notebook	All-in-one	Tablet	Netbook	Desktop
MULTIMEDIA	27183	Mini microphone with 3.5 mm jack	•	o		o	
	23240*	Steel rope with Security Lock for notebooks, beamer etc.	•	o		o	
	23249*	USB LED light "Snake Light"	•			o	
	23425*	USB - serial adapter, USB - SUB-D9, 1.8m	•	o		o	
	23426*	USB - PS/2 adapter for mouse and keyboard	•	o		o	
	23427*	USB - printer adapter, USB - Centronics, 1.8m	•	o		o	
	30443	USB 2.0 hub, 4 port, passive	•		o	o	
	23482*	USB - network adapter, USB - RJ45, 1.8m	•	o		o	
	30433	USB 2.0 - SATA/IDE hard drives adapter incl. power supply	•	o			o
	28756	Traveling adaptor set Schuko, for more than 150 countries	•		o	o	
	27212	USB Bluetooth® dongle v2.1 EDR, 20m, incl. software	•				o
	26278*	Car Power DC/AC Inverter 12V 230V, 150 W	•			o	
	27188	GREEN USB 2.0 design hub, 4 port, passive	•			o	
	28119*	72W AC/DC power supply, 12-24V, incl. 12 adapters	•				
	28120*	90W AC/DC power supply (4A), 15-24V, incl. 6 adapters	•				
	28121*	90W AC/DC power supply (4,74A), 16/19V, incl. 5 adapters	•				
	28122*	72W Car/air power supply, 15-24V, incl. 6 adapters	•				
	28123*	120W Car/air power supply, 15-24V, incl. 12 adapters	•				
	30432	Express card USB 3.0, 2 ports	•			o	
	28357	USB Bluetooth® dongle v3.0 EDR, 20m, incl. software	•	o		o	
LIFESTYLE	28286	MetalSkin Crown 15", decoration foil for notebooks	•				
	28287	MetalSkin Guitar 15", decoration foil for notebooks	•				
	28288	MetalSkin bazoo 15", decoration foil for notebooks	•				
	28289	MetalSkin Blue Head 15", decoration foil for notebooks	•				
INPUT	28764	LUGUS Optical Notebook Hot Rod (USB+PS/2)	•			o	
	28761	External numerical keypad	•			o	
	26925	LUGUS LIMITED optical mouse (4 colours)	•			o	
	27120	MARA Optical USB mouse (black)	•			o	
	27121	MARA Optical USB mouse (white)	•			o	
	27122	MARA Optical USB mouse (red)	•			o	
	27123	MARA Optical USB mouse (blue)	•			o	
	28782	MARA L Laser USB mouse	•	o			o
	28781	MARA FM Optical mouse, wireless	•				o
	27128	LUGUS Optical USB mouse with reeler	•			o	
	27136	LUGUS BS BlueSense mouse (orange)	•	o			o
	27137	LUGUS BS BlueSense mouse (green)	•	o			o
	27138	LUGUS BS BlueSense mouse (champagne)	•	o			o
	27139	LUGUS BS BlueSense mouse (pink)	•	o			o
	27126	NETO BS BlueSense mouse	•	o			
SOUND	23691	NETO NB stereo neckband headset	•	o			
	27160	MARA 50 stereo speaker	•			o	
	27175	MARA COLOR stereo headset (6 colours)	•	o			o
	27176	MARA BASIC stereo headset	•	o			o
	27163	LUGUS MOBILE II stereo speaker	•			o	
	27183	MINI MIC notebook microphone	•			o	
	27184	CLIP MIC Clip-On microphone	•			o	



TABLET

	EDP	Item	Tablet	All-In-one	Notebook	Netbook	Desktop
	26284*	Mini vehicle adapter with USB connector	•				
	26923	USB WLAN adapter, 150 Mbit/s, 802.11n	•	o		o	
	27140	LUGUS BS FM BlueSense mouse, wireless	•		o		
	30573	TOUCH Bluetooth® headset with touch sensor	•	o	o		



NETBOOK

	EDP	Item	Netbook	All-In-one	Notebook	Tablet	Desktop
MULTIMEDIA	28794	USB 2.0 hub, 4 port, passive	•		o	o	
	26916*	USB Bluetooth® dongle v2.1 EDR, 20m	•		o		o
	27191	LUGUS FL, USB 2.0 hub, 4 port, passive	•			o	
	27200	Netbook Tuning Kit #1, mouse & hub, white	•		o		
	27203	Netbook Tuning Kit #1, mouse & hub, red	•		o		
	27202	Netbook Tuning Kit #3, mouse & hub & Bluetooth® dongle	•		o		
	28118	65W AC/DC power supply, 9.5-20V, incl. 9 adapters	•				
	27209	Notebook SD/MMC cardreader	•		o		
	27192	Combo Hub (cardreader + USB hub, 3 ports)	•	o		o	
LIFESTYLE	28277	3-in-1 multifunction pad	•		o		
	28282	MetalSkin Crown 10", decoration foil for notebooks	•		o		
	28283	MetalSkin Guitar 10", decoration foil for notebooks	•		o		
	28284	MetalSkin bazoo 10", decoration foil for notebooks	•		o		
	28285	MetalSkin Blue Head 10", decoration foil for notebooks	•		o		
	28290	SafariSkin Leopard 10", decoration foil for notebooks	•		o		
	27131	NANO laser mouse (black, red, blue)	•		o	o	
	23690	NETO M mono headset	•		o		
	27164	LUGUS MOBILE stereo speaker	•		o		



OTHERS



	EDP	Item	Desktop	All-In-one	Notebook	Tablet	Netbook
MULTIMEDIA	30428	PCI Gigabit-Ethernet PC card, 10/100/1000 Mbit/s	•				
	23407*	Network Ethernet switch, 10/100 Mbit/s, 5 ports	•	o	o		
	30429	Network Ethernet switch, 10/100 Mbit/s, 5 ports	•	o	o		
	30427	PCI Ethernet PC card, 10/100 Mbit/s	•				
	28790	USB WLAN adapter, 54 Mbit/s, 802.11n	•		o		o
	30431	PCI USB 2.0 PC controller, 4 external + 1 internal USB 2.0 port	•				
	30436	USB 2.0 active extension cable, 5m	•		o		o
	23431	PCI FireWire controller, 3 IEEE1394 ports, incl. Magix software	•				
	30426	PCI 6 channel sound card	•				
	30425	PCI 4 channel sound card	•				
	28791	USB WLAN adapter, 300 Mbit/s, 802.11b/g/n	•		o		o
	28793	USB 2.0 hub, 7 port, active	•	o			
	28792	USB 2.0 hub, 4 port, active	•	o	o		
	30446	VGA webcam with stereo headset	•	o	o		
	27186	Universal VGA webcam	•	o	o		
	30430	PCI USB 3.0 PC controller, 2 x USB 3.0 ports	•				
LIFESTYLE	28265	PicturePad nature (4 motifs), mousepad	•	o			
	28266	PicturePad heroes (4 motifs), Mousepad	•	o			
	28279	SHIVA S High speed gaming pad	•		o		
	28281	SHIVA P High precision gaming pad	•		o		
	28267	PicturePad Flames (4 motifs), mousepad	•	o			
INPUT	28758	COMPACT KEYBOARD PS/2	•				
	28763	MARA Optical soft touch mouse	•	o			
	28759	USB DESKTOP SET, keyboard + optical mouse	•				
	28800	MARA Optical USB mouse	•	o			
	28760	LUMIBOARD, keyboard with background lighting	•	o	o		
	27141	SHIVA BS BlueSense gaming mouse	•		o		
	27145	USB COMPACT KEYBOARD	•	o			
	27146	WIRELESS DESKTOP SET, keyboard + optical mouse, wireless	•	o			
	27149	iBOARD design keyboard with integrated USB port	•	o			
	27150	SLIMBOARD design keyboard	•	o	o		
	27151	iBOARD SET, keyboard + optical mouse	•	o			
SOUND	27162	MARA 250 2.1 stereo subwoofer system	•	o			
	27161	MARA 100 stereo speaker system	•		o		
	27181	NETO VIBE USB Headset, aluminium design	•	o	o		
	27197	MERLIN 2.2 II stereo subwoofer system	•	o			

EDP	Type	Page	EDP	Type	Page
23240	B-NBK LOCK	65	27123	B-MSOU MAR BL	20
23407	NET 100 SW5-N	46	27126	B-MSBU NET BK	19
23425	USB SER-N	50	27128	LUGUS MOUSE	19
23426	USB PS/2-N	50	27131	B-MSLU NANO	17
23427	USB PAR-N	50	27133	B-MSFBU MER PI	15
23451	HEAT PASTE	65	27134	B-MSFBU MER GR	15
23482	USB2 NET-N	51	27136	B-MSBU LUG OR	18
23690	B-HM MONO	32	27137	B-MSBU LUG GR	18
23691	B - HM NB	30	27138	B-MSBU LUG CH	18
23692	B-HM ST	30	27139	B-MSBU LUG PI	18
23693	B-HM USB	29	27140	B-MSFBU LUG BL	15
26273	USB2 LINK PCMAC	51	27141	B-MSBU SHI	16
26278	NBK POWER INV	40	27142	B-MSFOU 2.4 MER	14
26284	NBK USB CHARGE	40	27143	B-KB FM	8
26916	PRO BT2.1 USB C2	64	27145	B-KB USB ST	12
26923	B-WLAN USB-150	44	27146	B-WB MM 2.4	8
26953	CD IPN4	78	27149	B-KB USB IBOARD	10
26958	PC1	77	27150	B-KB USB SLIM	10
26959	PC2	77	27151	B-KB USB IBO SET	9
26960	PC3	77	27159	PRO B-SP 2.1	23
26961	PC4	77	27160	B-SP 50 MAR	25
26962	PC5	77	27161	B-SP 100 MAR	25
26963	PC6	78	27162	B-SP 2.1 MAR	23
26964	PC7	78	27163	B-SP MOB LUG II	24
26965	PC8	78	27164	B-SP MOB LUG	24
26966	PC9	78	27166	B-SP 2.1 NET W	22
27120	B-MSOU MAR BK	20	27175	B-HM NB COL	31
27121	B-MSOU MAR WH	20	27176	B-HM BASIC	31
27122	B-MSOU MAR RD	20	27177	B-HM BT	27

EDP	Type	Page	EDP	Type	Page
27178	B-HM NET WH	29	28266	B-MP PP HERO	71
27179	B-HM NET RD	29	28267	B-MP PP FLAME	72
27181	B-HM NET VIBE	28	28269	B-MP MP RD	68
27182	B-HM NET USB	28	28270	B-MP MP BL	68
27183	B-MF MINI	32	28271	B-MP MP BZ	69
27184	B-MF CLIP	32	28272	B-MP MP CRN	69
27186	B-CAM-VGA	36	28273	B-MP MP GUI	69
27188	B-USB 2HUB 4EP	53	28274	B-MP MP POP	69
27189	B-USB 2HUB 4EA	54	28275	B-MP MP MAT	69
27190	B-USB 2HUB 7EA	54	28276	B-MP MP ROB	69
27191	B-USB 2HUB 4 FLP	57	28277	B-MP 3-IN-1 BK	68
27192	B-USB 2 HUB RW	58	28279	B-MP GP SHS	67
27197	B-SP 2.2 MER II	22	28281	B-MP GP SHP	67
27200	B-NB KIT MU-W	61	28282	B-MSK CRN 10	75
27202	B-NB KIT MUB	60	28283	B-MSK GUI 10	75
27203	B-NB KIT MU-R	61	28284	B-MSK BZ 10	75
27207	B-USB 2 HUB 4SP	56	28285	B-MSK MAT 10	75
27208	B-RW UNI 4S D1	58	28286	B-MSK CRN 15	75
27209	B-RW UNI 4S XS	59	28287	B-MSK GUI 15	75
27210	RW UNI 6S1	59	28288	B-MSK BZ 15	75
27211	B-BT2.1 USB C1 EDR	63	28289	B-MSK MAT 15	75
27212	B-BT2.1 USB C2 EDR	64	28290	B-SSK LEO 10	74
28118	NBK POWER AC65	37	28357	B-BT3.0 USB C2 EDR	63
28119	NBK POWER AC72	37	28359	B-WLAN 300-S	44
28120	NBK POWER AC90II	38	28360	B-USB3 HUB 4A	49
28121	NBK POWER AC90III	38	28753	B-NBK LOCK	65
28122	NBK POWER DC72	39	28754	B-NBK SNAKE	65
28123	NBK POWER DC120	39	28756	B-NBK TRAVEL	41
28265	B-MP PP NAT	70	28757	NBK POWER INV	40

EDP	Type	Page	EDP	Type	Page
28758	B-KB ST	12	30436	B-USB2 EXT	52
28759	B-KB USB SET BK	9	30437	USB SER-N	50
28760	B-KB MM USB LIGHT	11	30438	USB PS/2-N	50
28761	B-KB 10-KEY	12	30439	USB PAR-N	50
28762	B-MSOU 10	17	30440	USB2 NET-N	51
28763	B-MSOC MAR	17	30441	USB2 LINK PCMAC	51
28764	B-MSOC LUG	20	30443	B-USB HUB 4WP-A	56
28773	B-KB USB MINI	11	30446	VOIP SET VGA	35
28774	B-MP BP UNI	73	30465	B-NBK TRAVEL	41
28775	B-MP BP HOL	73	30573	TT-AU BT HM TC	26
28776	B-MP BP PET	74			
28781	B-MSFOU MAR	16			
28782	B-MSLU MAR GX	18			
28790	B-WLAN USB 54	45			
28791	B-WLAN USB-300	43			
28792	USB HUB 4A	55			
28793	USB2 HUB 7A	55			
28794	PRO USB2 HUB 4PN	57			
28800	B-MSOU 10GX	17			
30425	B-SOUND 4C PCI	33			
30426	B-SOUND 6C PCI	33			
30427	B-NET 100 GX PCI	45			
30428	B-NET 1000 PCI	46			
30429	NET 100 SW5-N	46			
30430	B-USB3 2P PCIE	48			
30431	IO 4+1 USB2	61			
30432	B-USB3 2P PCCE	48			
30433	B-USB2 SATA/IDE	52			
30434	B-USB3 SATA	49			



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

International Distributors

Bulgaria

Gate Bulgaria LTD
9, Pierre Degeyter Str., Block 3
BG - 1113 Sofia
Phone (+35) 929 710 020
kk@gatebulgaria.com
www.gatebulgaria.com

Croatia

FENIKS-KOMPUTORI d.o.o.
Maksimirska 132
HR - 10 000 Zagreb
Phone (+385) 1 6395-278
Fax (+385) 1 6395-282
helena@feniks-kompjutori.hr
www.feniks-kompjutori.hr

Czech Republic

DSI Czech, s.r.o.
Pernerova 35a
CZ - 18600 - Praha 8
Phone (+420) 724 41 70 63
Fax (+420) 225 386 101
tomas.dvorak@dsic.cz
www.dsic.cz

Denmark

Cenor Nordic AB
Filjal Danmark
Sondermarken 143
DK - 8382 Hinnerup
Phone (+46) 84 460 590
Fax (+46) 84 460 595
info@cenor.dk
www.cenor.dk

Estonia

Nordic Digital AA
Tööstuse tee 6
EE - 61707 Ülenurme/Tartumaa
Phone (+372) 733 770 0
Fax (+372) 733 772 9
info@nordic-digital.ee
www.nordic-digital.ee

Ex-Yugoslavia

(Serbia, Montenegro, Bosnia, Macedonia)
Rodocom d.o.o.
Gortina 143
SI - 2366 Muta
Phone (+386) 2 8879204
Fax (+386) 2 8761143
prodaja@rodocom.si
www.rodocom.si

Finland

AV-Komponentti OY
Koronakatu 1a
FI - 02210 Espoo
Phone (+358) 9 8678 020
Fax (+358) 9 8678 0250
info@avkomponentti.fi
www.avkomponentti.fi

Greece

Digitech S.A.
200, Iroon Polytechniou str.
GR - 41221 Larissa
Phone (+30) 2410 284800
Fax (+30) 2410 579092
info@dttsa.gr

Hungary

V-Hungary Kft
Pf 285
HU - 2802 Tatabanya
Phone (+36) 34 316 348
Fax (+36) 34 309 477
vzis@vivanco.hu

Iceland

Sense
Hlíðarsmári 3
IS - 201 Kópavogur
Phone (+354) 585 38 51
www.sense.is

Israel

H.Y. Electronics and Components
No. 14 Hata'as Str.
IL - 44425 Kfar Saba
Phone (+972) 1700 7011 15
Fax (+972) 747 551 673
www.hye.co.il

Lithuania

Elektronikos Pasaulis
Sausio 13-osios 4-1
LT - 05113 Vilnius
Phone (+370) 5 2788678
Phone (+370) 5 2700221
Fax (+370) 5 2700223
www.elektronikospasaulis.lt

Norway

Cenor Nordic AB
Box 10045
SE - 18110 Lidingö
Phone (+46) 84 460 590
Fax (+46) 84 460 595
info@cenor.se
www.cenor.se

Portugal

Esotérico, Consultores de Som, Lda.
Praceta Alves Redol, No. 2
Franqueiro-Loures
PT - 2670 Loures
Phone (+351) 219 838 944
Fax (+351) 219 823 164
info@esoterico.pt
www.esoterico.pt

Romania

Telezimex S.A.
Calea Turzii 231-233
RO - 400495 Cluj-Napoca
Phone (+40) 264 439 103
Fax (+40) 264 439 106
sales@telezimex.ro
www.telezimex.ro

Russia

000 Unibat
Ivana Franko str. 48
RU - 121351 Moscow
Phone (+7) 495 2325349
Fax (+7) 495 2325134
unibat@mail.ru

Slovakia

DSI Slovakia s.r.o.
Južná trieda 117
SK - 04 001 Košice
Phone (+421) 55 61181 36
Fax (+421) 55 61181 11
www.dsi.sk

Sweden

Cenor Nordic AB
Box 10045
SE - 18110 Lidingö
Phone (+46) 84 460 590
Fax (+46) 84 460 595
info@cenor.se
www.cenor.se

Slovenia

BIG BANG d.o.o. – SKUPINA MERKUR
Smartinska 152
SI - 1000 Ljubljana
Phone (+386) 1 309 3700
Fax (+386) 1 309 3760
info@bigbang.si
www.bigbang.si

Turkey

TEST RITE
Atatürk Mh. Girne Cd. No:45
TR 34750 Ataşehir - Istanbul
Phone (+90) 216 456 60 80
Fax (+90) 216 456 60 77
info@testrite.com.tr
www.testritegroup.com

Subsidiaries

Austria

Vivanco Austria GmbH
Triesterstrasse 10/ 4
AT - 2351 Wt. Neudorf
Phone (+43) 2236 893 7400
Fax (+43) 2236 893 7408
office@vivanco.at

France

Vivanco France S.A.S
40 avenue de Lingenfeld
FR - 77200 Torcy
Phone (+33) 1 64 73 11 39
Fax (+33) 1 64 61 70 32
hotline@vivanco.fr
www.vivanco.fr

Hong Kong

Vivanco (HK) Ltd.
Unit 510, 5/F. Apec Plaza
49 Hoi Yuen Road, Kwun Tong
HK - Kowloon
Phone (+852) 241 104 68
Fax (+852) 249 887 91
info@vivanco.com.hk

Italy

Vivanco Italia S.r.l.
Via Riccardo Lombardi 19/16
IT - 20153 Milano
Phone (+39) 02 33 51 43 23
Fax (+39) 02 33 51 21 88
vivanco@vivanco.it
www.vivanco.it

Netherlands, Belgium, Luxembourg

Vivanco (Benelux) B.V.
Galvanibaas 8
NL - 3439 MG Nieuwegein
Phone (+31) 306 007 050
Fax (+31) 306 007 055
info@vivanco.nl
www.vivanco.nl

Poland

Vivanco Poland Sp.z o.o.
Ul. Sosnkowskiego 1
PL - 02-495 Warszawa
Phone (+48) 22 723 0745
Fax (+48) 22 723 0750
info@vivanco.pl
www.vivanco.pl

Spain

Vivanco Accesorios S.A.
P. I. Antiguo Güterman
Crta. Nova de Sta. Mª de
Palautordera a S. Celoni s/n
ES - 08460 Sta. Mª de Palautordera
Phone (+34) 93 848 35 20
Fax (+34) 93 848 16 67
vivanco@vivanco.es
www.vivanco.es

Switzerland

Vivanco Suisse AG
Alte Landstr. 15
CH - 8904 Au ZH
Phone (+41) 44 782 6800
Fax (+41) 44 782 6810
info@vivanco.ch
www.vivanco.ch

United Kingdom

Vivanco (UK) Ltd.
Maxted Court
Maxted Road
GB - Hemel Hempstead/Herts HP2 7DE
Phone (+44) 1442 403 020
Fax (+44) 1442 403 041
consumer@vivanco.co.uk

